

## Brilliant White Shaker



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | Ships in 3-7 business days   | Hinges:                                   | 6-way Adjustable, Concealed, European Soft Close Hinges   |
| Style:                    | Shaker   | Cabinet Interior:                         | UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)  |
| Face Frame:               | 3/4" x 1-3/4" Birch  | Center Stile:                             | None (unless listed in the cabinet description)   |
| Door Frame:               | Premium HDF (HDF is used to avoid cracking/warping)  | Assembly Method:                          | Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used |
| Door Center:              | Premium HDF (HDF is used to avoid cracking/warping)  |   |   |
| Sides:                    | 1/2" A-Grade Plywood   | Finish:                                   | 7 step, acid-catalyzed finish process with a UV coating   |
| Top & Bottom (Wall):      | 1/2" A-Grade Plywood   | Toe Kick:                                 | 1/2" Plywood  |
| Bottom (Base):            | 1/2" A-Grade Plywood   | Installation Rail:                        | None  |
| Back Panel:               | 1/2" A-Grade Plywood Full Back   | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Shelves:                  | Adjustable 3/4" w/Front Edge Banding   | CARB Compliant:                           | Yes   |
| Base Cabinet Shelf Depth: | 1/2  | Door Hinges:                              | Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.  |
| Drawer Box:               | 5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction | Toe Kicks Included w/Base Cabinets:       | Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8" toe kick) is needed if cabinets are next to each other.   |
| Drawer Glides:            | Undermount, Full Extension, Soft Close Glides  | Sides Panels Finished:                    | Yes   |
| Base Corner Supports:     | 3/4" Solid Wood Corner Blocks  |   |   |
| Overlay:                  | Full   |   |   |

## Providence White



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | This finish ships in 5-15 business days  | Cabinet Interior:                         | Matches door finish   |
| Style:                    | Recessed Square  | Center Stile:                             | No center stile on cabinetry 24"W to 36"W   |
| Face Frame:               | 3/4" Solid Birch   | Assembly Method:                          | Steel Clip  |
| Door Frame:               | 3/4" Solid Birch   | Finish:                                   | Waterborne UV Finish  |
| Door Center:              | MDF (MDF is used to avoid cracking/warping)  | Toe Kick:                                 | 1/2" Plywood  |
| Sides:                    | 1/2" A-Grade plywood with wood veneer  | Installation Rail:                        | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade plywood with wood veneer  | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Bottom (Base):            | 3/8" A-Grade plywood with wood veneer  | CARB Compliant:                           | Yes   |
| Back Panel:               | 1/2" Picture Frame recess style  | Door Hinges:                              | Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This) |
| Shelves:                  | 3/4" A-Grade plywood with wood veneer  | Toe Kicks Included w/Base Cabinets:       | Yes   |
| Base Cabinet Shelf Depth: | 1/2  | Sides Panels Finished:                    | Yes   |
| Drawer Box:               | Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish. | Installation Note:                        | For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.                    |
| Drawer Glides:            | Undermount, full extension with soft closing feature   |   |   |
| Base Corner Supports:     | Wood corner brackets with wood I-beam construction   |   |   |
| Overlay:                  | Full with Butt doors   |   |   |
| Hinges:                   | Concealed 6-way adjustable with Soft Closing Feature   |   |   |

## Dakota White



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | This finish ships in 5-15 business days  | Cabinet Interior:                         | Matches door finish   |
| Style:                    | Raised Square  | Center Stile:                             | No center stile on cabinetry 24"W to 36"W   |
| Face Frame:               | 3/4" Solid Birch   | Assembly Method:                          | Steel Clip  |
| Door Frame:               | 3/4" Solid Birch   | Finish:                                   | Waterborne UV Finish  |
| Door Center:              | MDF (MDF is used to avoid cracking/warping)  | Toe Kick:                                 | 1/2" Plywood  |
| Sides:                    | 1/2" A-Grade plywood with wood veneer  | Installation Rail:                        | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade plywood with wood veneer  | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Bottom (Base):            | 3/8" A-Grade plywood with wood veneer  | CARB Compliant:                           | Yes   |
| Back Panel:               | 1/2" Picture Frame recess style  | Door Hinges:                              | Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This) |
| Shelves:                  | 3/4" A-Grade plywood with wood veneer  | Toe Kicks Included w/Base Cabinets:       | Yes   |
| Base Cabinet Shelf Depth: | 1/2  | Sides Panels Finished:                    | Yes   |
| Drawer Box:               | Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish. | Installation Note:                        | For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.                    |
| Drawer Glides:            | Undermount, full extension with soft closing feature   |   |   |
| Base Corner Supports:     | Wood corner brackets with wood I-beam construction   |   |   |
| Overlay:                  | Full with Butt doors   |   |   |
| Hinges:                   | Concealed 6-way adjustable with Soft Closing Feature   |   |   |



## Aspen White Shaker



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | This finish ships in 5-15 business days  | Cabinet Interior:                         | Matches door finish   |
| Style:                    | Shaker   | Center Stile:                             | No center stile on cabinetry 24"W to 36"W   |
| Face Frame:               | 3/4" Solid Birch   | Assembly Method:                          | Steel Clip  |
| Door Frame:               | MDF (MDF is used to avoid cracking/warping)  | Finish:                                   | Polyurethane Finish   |
| Door Center:              | MDF (MDF is used to avoid cracking/warping)  | Toe Kick:                                 | 1/2" Plywood  |
| Sides:                    | 1/2" A-Grade plywood with wood veneer  | Installation Rail:                        | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade plywood with wood veneer  | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Bottom (Base):            | 3/8" A-Grade plywood with wood veneer  | CARB Compliant:                           | Yes   |
| Back Panel:               | 1/2" Picture Frame recess style  | Door Hinges:                              | Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This) |
| Shelves:                  | 3/4 " A-Grade plywood with wood veneer   | Toe Kicks Included w/Base Cabinets:       | Yes   |
| Base Cabinet Shelf Depth: | ½  | Sides Panels Finished:                    | Yes   |
| Drawer Box:               | Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish. | Installation Note:                        | For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.                    |
| Drawer Glides:            | Undermount, full extension with soft closing feature   |   |   |
| Base Corner Supports:     | Wood corner brackets with wood I-beam construction   |   |   |
| Overlay:                  | Full with butt doors   |   |   |
| Hinges:                   | Concealed 6-way adjustable with Soft Closing Feature   |   |   |



## Lakewood White



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | Ships in 3-7 business days   | Hinges:                                   | 6-way Adjustable, Concealed, European Soft Close Hinges   |
| Style:                    | Raised   | Cabinet Interior:                         | UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)  |
| Face Frame:               | 3/4" x 1-3/4" Birch  | Center Stile:                             | None (unless listed in the cabinet description)   |
| Door Frame:               | Premium HDF (HDF is used to avoid cracking/warping)  | Assembly Method:                          | Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used |
| Door Center:              | Premium HDF (HDF is used to avoid cracking/warping)  | Finish:                                   | 7 step, acid-catalyzed finish process with a UV coating   |
| Sides:                    | 1/2" A-Grade Plywood   | Toe Kick:                                 | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade Plywood   | Installation Rail:                        | None  |
| Bottom (Base):            | 1/2" A-Grade Plywood   | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Back Panel:               | 1/2" A-Grade Plywood Full Back   | CARB Compliant:                           | Yes   |
| Shelves:                  | Adjustable 3/4" w/Front Edge Banding   | Door Hinges:                              | Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.  |
| Base Cabinet Shelf Depth: | 1/2  | Toe Kicks Included w/Base Cabinets:       | Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8" toe kick) is needed if cabinets are next to each other.   |
| Drawer Box:               | 5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction | Sides Panels Finished:                    | Yes   |
| Drawer Glides:            | Undermount, Full Extension, Soft Close Glides  |   |   |
| Base Corner Supports:     | 3/4" Solid Wood Corner Blocks  |   |   |
| Overlay:                  | Full   |   |   |

## Charlotte White



|                           |  |                        |   |
|---------------------------|--|------------------------|---|
| Shipping Time:            | Ships in 5-15 business days                                      | Hinges:                | Soft-close  |
| Style:                    | Recessed   | Cabinet Interior:      | Clear coated natural maple interior               |
| Face Frame:               | 3/4" x 1-1/2" Solid Wood   | Center Stile:          | None  |
| Door Frame:               | Solid Maple  | Assembly Method:       | Nail/Screw/Glue                                   |
| Door Center:              | MDF (MDF is used to avoid cracking/warping)                      | Finish:                | Oil based finish                                  |
| Sides:                    | 1/2" Plywood   | Toe Kick:              | 1/2" thick, edge banded                           |
| Top & Bottom (Wall):      | 1/2" Plywood   | Installation Rail:     | 3/4" thick x 1-1/2" wide                          |
| Bottom (Base):            | 1/2" Plywood   | CARB Compliant:        | Yes   |
| Back Panel:               | 3" wide x 3/4" thick picture frame back with 1/4" plywood center | Door Hinges:           | Doors can be flipped for a left or right assembly |
| Shelves:                  | 3/4" plywood, adjustable, metal shelf rests                      | Sides Panels Finished: | Yes   |
| Base Cabinet Shelf Depth: | 18"  |                        |   |
| Drawer Box:               | Dovetail drawer boxes, 1/2" thick solid wood side panels         |                        |   |
| Drawer Glides:            | Full extension, soft closing, undermount glides                  |                        |   |
| Base Corner Supports:     | Metal bracket reinforced corners                                 |                        |   |
| Overlay:                  | Full   |                        |   |

## Arctic White Shaker



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | Ships in 3-7 business days   | Hinges:                                   | 6-way Adjustable, Concealed European Hinges (soft close upgrade available)  |
| Style:                    | Shaker   | Cabinet Interior:                         | UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)  |
| Face Frame:               | 3/4" x 1-3/4" Birch  | Center Stile:                             | None (unless listed in the cabinet description)   |
| Door Frame:               | HDF (HDF is used to avoid cracking/warping)  | Assembly Method:                          | Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used |
| Door Center:              | HDF (HDF is used to avoid cracking/warping)  | Finish:                                   | 7 step, acid-catalyzed finish process with a UV coating and brushed glaze   |
| Sides:                    | 1/2" A-Grade Plywood   | Toe Kick:                                 | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade Plywood   | Installation Rail:                        | None  |
| Bottom (Base):            | 1/2" A-Grade Plywood   | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Back Panel:               | 1/2" A-Grade Plywood Full Back   | CARB Compliant:                           | Yes   |
| Shelves:                  | Adjustable 3/4" w/Front Edge Banding   | Door Hinges:                              | Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.  |
| Base Cabinet Shelf Depth: | 1/2  | Toe Kicks Included w/Base Cabinets:       | Yes, but the SS-TKC (8" toe kick) is needed for all base cabinets to cover the unfinished sides since the included toe kick fits in between the plywood side panels   |
| Drawer Box:               | 5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction | Sides Panels Finished:                    | Yes   |
| Drawer Glides:            | Undermount, Epoxy Drawer Glides  |   |   |
| Base Corner Supports:     | 3/4" Solid Wood Corner Blocks  |   |   |
| Overlay:                  | Full   |   |   |



## Southport White Shaker



|                           |  |                        |   |
|---------------------------|--|------------------------|---|
| Shipping Time:            | Ships in 5-15 business days                                      | Hinges:                | Soft-close  |
| Style:                    | Shaker   | Cabinet Interior:      | Clear coated natural maple interior   |
| Face Frame:               | 3/4" x 1-1/2" Solid Wood   | Center Stile:          | None  |
| Door Frame:               | Solid Maple  | Assembly Method:       | Nail/Screw/Glue   |
| Door Center:              | MDF (MDF is used to avoid cracking/warping)                      | Finish:                | Oil based finish  |
| Sides:                    | 1/2" Plywood   | Toe Kick:              | 1/2" thick, edge banded   |
| Top & Bottom (Wall):      | 1/2" Plywood   | Installation Rail:     | 3/4" thick x 1-1/2" wide  |
| Bottom (Base):            | 1/2" Plywood   | CARB Compliant:        | Yes   |
| Back Panel:               | 3" wide x 3/4" thick picture frame back with 1/4" plywood center | Door Hinges:           | Doors can be flipped for a left or right assembly   |
| Shelves:                  | 3/4" plywood, adjustable, metal shelf rests                      | Sides Panels Finished: | Yes   |
| Base Cabinet Shelf Depth: | 18"  | Design Note:           | Scribe needs to be used for a wall cabinet against a wall or deeper cabinet/appliance. For base cabinets, leave use at least 3/4" to a 1" filler if base molding is being used, if not, then scribe is sufficient |
| Drawer Box:               | Dovetail drawer boxes, 1/2" thick solid wood side panels         |                        |   |
| Drawer Glides:            | Full extension, soft closing, undermount glides                  |                        |   |
| Base Corner Supports:     | Metal bracket reinforced corners                                 |                        |   |
| Overlay:                  | Full   |                        |   |

## Regency White



|                           |   |   |   |
|---------------------------|---|---|---|
| Shipping Time:            | This finish ships in 5-15 business days   | Cabinet Interior:                         | Matches door finish   |
| Style:                    | Raised Square (5pc recessed drawer header)  | Center Stile:                             | No center stile on cabinetry 24"W to 36"W   |
| Face Frame:               | 3/4" Solid Birch  | Assembly Method:                          | Steel Clip  |
| Door Frame:               | MDF (MDF is used to avoid cracking/warping)   | Finish:                                   | Polyurethane Finish with Glaze (Except KT)  |
| Door Center:              | MDF (MDF is used to avoid cracking/warping)   | Toe Kick:                                 | 1/2" Plywood  |
| Sides:                    | 1/2" A-Grade plywood with wood veneer   | Installation Rail:                        | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade plywood with wood veneer   | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Bottom (Base):            | 1/2" A-Grade plywood with wood veneer   | CARB Compliant:                           | Yes   |
| Back Panel:               | 1/2" Picture Frame recess style   | Door Hinges:                              | Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This) |
| Shelves:                  | 3/4 " A-Grade plywood with wood veneer  | Toe Kicks Included w/Base Cabinets:       | Yes   |
| Base Cabinet Shelf Depth: | 1/2   | Sides Panels Finished:                    | Yes   |
| Drawer Box:               | Solid Wood 3/5" sides, Drawer bottom 1/2" plywood, Drawer length 21, Dovetail construction, Natural finish. | Installation Note:                        | For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.                    |
| Drawer Glides:            | Epoxy coated metal undermount   |   |   |
| Base Corner Supports:     | Plastic corner brackets   |   |   |
| Overlay:                  | Full with Butt doors  |   |   |
| Hinges:                   | Concealed 6-way adjustable  |   |   |

## Signature Vanilla Glaze



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | This finish ships in 5-15 business days  | Cabinet Interior:                         | Matches door finish   |
| Style:                    | Raised Square  | Center Stile:                             | No center stile on cabinetry 24"W to 36"W   |
| Face Frame:               | 3/4" Solid Birch   | Assembly Method:                          | Steel Clip  |
| Door Frame:               | 3/4" Solid Birch   | Finish:                                   | Waterborne UV Finish with Glaze   |
| Door Center:              | MDF (MDF is used to avoid cracking/warping)  | Toe Kick:                                 | 1/2" Plywood  |
| Sides:                    | 1/2" A-Grade plywood with wood veneer  | Installation Rail:                        | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade plywood with wood veneer  | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Bottom (Base):            | 3/8" A-Grade plywood with wood veneer  | CARB Compliant:                           | Yes   |
| Back Panel:               | 1/2" Picture Frame recess style  | Door Hinges:                              | Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This) |
| Shelves:                  | 3/4" A-Grade plywood with wood veneer  | Toe Kicks Included w/Base Cabinets:       | Yes   |
| Base Cabinet Shelf Depth: | 1/2  | Sides Panels Finished:                    | Yes   |
| Drawer Box:               | Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish. | Installation Note:                        | For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.                    |
| Drawer Glides:            | Undermount, full extension with soft closing feature   |   |   |
| Base Corner Supports:     | Wood corner brackets with wood I-beam construction   |   |   |
| Overlay:                  | Full with Butt doors   |   |   |
| Hinges:                   | Concealed 6-way adjustable with Soft Closing Feature   |   |   |



## Linen Shaker



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | Ships in 3-7 business days   | Hinges:                                   | 6-way Adjustable, Concealed, European Soft Close Hinges   |
| Style:                    | Shaker   | Cabinet Interior:                         | UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)  |
| Face Frame:               | 3/4" x 1-3/4" Birch  | Center Stile:                             | None (unless listed in the cabinet description)   |
| Door Frame:               | Premium HDF (HDF is used to avoid cracking/warping)  | Assembly Method:                          | Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used |
| Door Center:              | Premium HDF (HDF is used to avoid cracking/warping)  |   |   |
| Sides:                    | 1/2" A-Grade Plywood   | Finish:                                   | 7 step, acid-catalyzed finish process with a UV coating   |
| Top & Bottom (Wall):      | 1/2" A-Grade Plywood   | Toe Kick:                                 | 1/2" Plywood  |
| Bottom (Base):            | 1/2" A-Grade Plywood   | Installation Rail:                        | None  |
| Back Panel:               | 1/2" A-Grade Plywood Full Back   | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Shelves:                  | Adjustable 3/4" w/Front Edge Banding   | CARB Compliant:                           | Yes   |
| Base Cabinet Shelf Depth: | 1/2  | Door Hinges:                              | Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.  |
| Drawer Box:               | 5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction | Toe Kicks Included w/Base Cabinets:       | Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.   |
| Drawer Glides:            | Undermount, Full Extension, Soft Close Glides  | Sides Panels Finished:                    | Yes   |
| Base Corner Supports:     | 3/4" Solid Wood Corner Blocks  |   |   |
| Overlay:                  | Full   |   |   |

## French Vanilla Glaze



|                           |   |   |  |
|---------------------------|---|---|--|
| Shipping Time:            | Ships in 5-15 business days   | Cabinet Interior:                         | Natural Maple (Glass Door Cabinets will have matching interiors)   |
| Style:                    | Raised Panel  | Center Stile:                             | None   |
| Face Frame:               | 3/4" Solid Maple  | Assembly Method:                          | Staple/Nail/Glue   |
| Door Frame:               | 3/4" Solid Maple  | Finish:                                   | Hand Applied Stain and Glaze   |
| Door Center:              | Solid Maple   | Toe Kick:                                 | 1/2" Solid Maple   |
| Sides:                    | 1/2" Plywood  | Installation Rail:                        | None   |
| Top & Bottom (Wall):      | 1/2" Plywood  | Wall Cabinet Bottoms Finished (Exterior): | No - Top And Bottom Are Unfinished Plywood   |
| Bottom (Base):            | 1/2" Plywood  | CARB Compliant:                           | Yes  |
| Back Panel:               | 1/2" Plywood (Sink Base/Vanity Cabinets - except vanity drawer bases - do not have back panels but do have hanging rails) | Door Hinges:                              | Pre-Drilled To The Right - Wall Cabinets Can Be Flipped, Base Cabinets Will Have To Have The Hinges Moved To The Opposite Side. Holes Can Be Filled If Preferred, But They Will Only Be Visible When The Door Is Open.   |
| Shelves:                  | 5/8" Thick Plywood, Adjustable with Metal Shelf Rests   | Toe Kicks Included w/Base Cabinets:       | Yes  |
| Base Cabinet Shelf Depth: | 1/2   | Sides Panels Finished:                    | Yes  |
| Drawer Box:               | Dovetail, 1/2" Thick Solid Wood Sides, 3/8" Plywood Bottoms   | Installation Note:                        | For this full overlay door style, if a cabinet is being installed against a wall, a 1/2" clearance is recommended between the wall and side of the cabinet to allow the door to open properly. Scribe molding can usually be used for very narrow spaces, however, only choose that option if the design doesn't allow for a 1/2" clearance. |
| Drawer Glides:            | Full Extension, Undermounted, Soft Close, Steel Concealed Drawer Glides   |   |  |
| Base Corner Supports:     | Metal Bracket Reinforcements for Base Cabinets  |   |  |
| Overlay:                  | Full  |   |  |
| Hinges:                   | Soft Close, 4-6 Way Adjustable European Concealed Metal Hinges  |   |  |

## Casselton Ivory



|                           |  |                        |   |
|---------------------------|--|------------------------|---|
| Shipping Time:            | Ships in 3-7 business days                                       | Hinges:                | Soft-close  |
| Style:                    | Raised   | Cabinet Interior:      | Clear coated natural maple interior   |
| Face Frame:               | 3/4" x 1-1/2" Solid Wood   | Center Stile:          | None  |
| Door Frame:               | Solid Maple  | Assembly Method:       | Nail/Screw/Glue   |
| Door Center:              | MDF (MDF is used to avoid cracking/warping)                      | Finish:                | Oil based finish  |
| Sides:                    | 1/2" Plywood   | Toe Kick:              | 1/2" thick, edge banded   |
| Top & Bottom (Wall):      | 1/2" Plywood   | Installation Rail:     | 3/4" thick x 1-1/2" wide  |
| Bottom (Base):            | 1/2" Plywood   | CARB Compliant:        | Yes   |
| Back Panel:               | 3" wide x 3/4" thick picture frame back with 1/4" plywood center | Door Hinges:           | Doors can be flipped for a left or right assembly   |
| Shelves:                  | 3/4" plywood, adjustable, metal shelf rests                      | Sides Panels Finished: | Yes   |
| Base Cabinet Shelf Depth: | 18"  | Design Note:           | Scribe needs to be used for a wall cabinet against a wall or deeper cabinet/appliance. For base cabinets, leave use at least 3/4" to a 1" filler if base molding is being used, if not, then scribe is sufficient |
| Drawer Box:               | Dovetail drawer boxes, 1/2" thick solid wood side panels         |                        |   |
| Drawer Glides:            | Full extension, soft closing, undermount glides                  |                        |   |
| Base Corner Supports:     | Metal bracket reinforced corners                                 |                        |   |
| Overlay:                  | Full   |                        |   |



## Phoenix Cream Glaze



|                           |  |                        |   |
|---------------------------|--|------------------------|---|
| Shipping Time:            | Ships in 5-15 business days                                      | Hinges:                | Soft-close  |
| Style:                    | Raised   | Cabinet Interior:      | Clear coated natural maple interior   |
| Face Frame:               | 3/4" x 1-1/2" Solid Wood   | Center Stile:          | None  |
| Door Frame:               | Solid Maple  | Assembly Method:       | Nail/Screw/Glue   |
| Door Center:              | MDF (MDF is used to avoid cracking/warping)                      | Finish:                | Oil based finish  |
| Sides:                    | 1/2" Plywood   | Toe Kick:              | 1/2" thick, edge banded   |
| Top & Bottom (Wall):      | 1/2" Plywood   | Installation Rail:     | 3/4" thick x 1-1/2" wide  |
| Bottom (Base):            | 1/2" Plywood   | CARB Compliant:        | Yes   |
| Back Panel:               | 3" wide x 3/4" thick picture frame back with 1/4" plywood center | Door Hinges:           | Doors can be flipped for a left or right assembly   |
| Shelves:                  | 3/4" plywood, adjustable, metal shelf rests                      | Sides Panels Finished: | Yes   |
| Base Cabinet Shelf Depth: | 18"  | Design Note:           | Scribe needs to be used for a wall cabinet against a wall or deeper cabinet/appliance. For base cabinets, leave use at least 3/4" to a 1" filler if base molding is being used, if not, then scribe is sufficient |
| Drawer Box:               | Dovetail drawer boxes, 1/2" thick solid wood side panels         |                        |   |
| Drawer Glides:            | Full extension, soft closing, undermount glides                  |                        |   |
| Base Corner Supports:     | Metal bracket reinforced corners                                 |                        |   |
| Overlay:                  | Full   |                        |   |

## Cambridge Antique White Glaze



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | Ships in 3-7 business days   | Hinges:                                   | 6-way Adjustable, Concealed, European Soft Close Hinges   |
| Style:                    | Raised Square  | Cabinet Interior:                         | UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)  |
| Face Frame:               | 3/4" x 1-3/4" Birch  | Center Stile:                             | None (unless listed in the cabinet description)   |
| Door Frame:               | 3/4" Solid Birch, Mitered Doors  | Assembly Method:                          | Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used |
| Door Center:              | Premium MDF (MDF is used to avoid cracking/warping)  | Finish:                                   | 7 step, acid-catalyzed finish process with a UV coating and brushed glaze   |
| Sides:                    | 1/2" A-Grade Plywood   | Toe Kick:                                 | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade Plywood   | Installation Rail:                        | None  |
| Bottom (Base):            | 1/2" A-Grade Plywood   | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Back Panel:               | 1/2" A-Grade Plywood Full Back   | CARB Compliant:                           | Yes   |
| Shelves:                  | Adjustable 3/4" w/Front Edge Banding   | Door Hinges:                              | Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.  |
| Base Cabinet Shelf Depth: | 1/2  | Toe Kicks Included w/Base Cabinets:       | Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8" toe kick) is needed if cabinets are next to each other.   |
| Drawer Box:               | 5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction | Sides Panels Finished:                    | Yes   |
| Drawer Glides:            | Undermount, Full Extension, Soft Close Glides  |   |   |
| Base Corner Supports:     | 3/4" Solid Wood Corner Blocks  |   |   |
| Overlay:                  | Full   |   |   |

## Brantley Antique White Glaze



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | Ships in 3-7 business days   | Hinges:                                   | 6-way Adjustable, Concealed, European Soft Close Hinges   |
| Style:                    | Recessed Panel   | Cabinet Interior:                         | UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)  |
| Face Frame:               | 3/4" x 1-3/4" Birch  | Center Stile:                             | None (unless listed in the cabinet description)   |
| Door Frame:               | 3/4" Solid Birch, Mitered Doors  | Assembly Method:                          | Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used |
| Door Center:              | Premium MDF (MDF is used to avoid cracking/warping)  | Finish:                                   | 7 step, acid-catalyzed finish process with a UV coating and brushed glaze   |
| Sides:                    | 1/2" A-Grade Plywood   | Toe Kick:                                 | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade Plywood   | Installation Rail:                        | None  |
| Bottom (Base):            | 1/2" A-Grade Plywood   | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Back Panel:               | 1/2" A-Grade Plywood Full Back   | CARB Compliant:                           | Yes   |
| Shelves:                  | Adjustable 3/4" w/Front Edge Banding   | Door Hinges:                              | Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.  |
| Base Cabinet Shelf Depth: | 1/2  | Toe Kicks Included w/Base Cabinets:       | Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8" toe kick) is needed if cabinets are next to each other.   |
| Drawer Box:               | 5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction | Sides Panels Finished:                    | Yes   |
| Drawer Glides:            | Undermount, Full Extension, Soft Close Glides  |   |   |
| Base Corner Supports:     | 3/4" Solid Wood Corner Blocks  |   |   |
| Overlay:                  | Full   |   |   |



## Lakewood Stone



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | Ships in 3-7 business days   | Hinges:                                   | 6-way Adjustable, Concealed, European Soft Close Hinges   |
| Style:                    | Raised   | Cabinet Interior:                         | UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)  |
| Face Frame:               | 3/4" x 1-3/4" Birch  | Center Stile:                             | None (unless listed in the cabinet description)   |
| Door Frame:               | Premium HDF (HDF is used to avoid cracking/warping)  | Assembly Method:                          | Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used |
| Door Center:              | Premium HDF (HDF is used to avoid cracking/warping)  |   |   |
| Sides:                    | 1/2" A-Grade Plywood   | Finish:                                   | 7 step, acid-catalyzed finish process with a UV coating   |
| Top & Bottom (Wall):      | 1/2" A-Grade Plywood   | Toe Kick:                                 | 1/2" Plywood  |
| Bottom (Base):            | 1/2" A-Grade Plywood   | Installation Rail:                        | None  |
| Back Panel:               | 1/2" A-Grade Plywood Full Back   | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Shelves:                  | Adjustable 3/4" w/Front Edge Banding   | CARB Compliant:                           | Yes   |
| Base Cabinet Shelf Depth: | 1/2  | Door Hinges:                              | Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.  |
| Drawer Box:               | 5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction | Toe Kicks Included w/Base Cabinets:       | Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8" toe kick) is needed if cabinets are next to each other.   |
| Drawer Glides:            | Undermount, Full Extension, Soft Close Glides  | Sides Panels Finished:                    | Yes   |
| Base Corner Supports:     | 3/4" Solid Wood Corner Blocks  |   |   |
| Overlay:                  | Full   |   |   |

## Stone Shaker



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | Ships in 3-7 business days   | Cabinet Interior:                         | UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)  |
| Style:                    | Shaker   | Center Stile:                             | None (unless listed in the cabinet description)   |
| Face Frame:               | 3/4" x 1-3/4" Birch  | Assembly Method:                          | Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used   |
| Door Frame:               | 3/4" HDF (HDF is used to avoid cracking/warping)   |   |   |
| Door Center:              | HDF (HDF is used to avoid cracking/warping)  | Finish:                                   | 7 step, acid-catalyzed finish process with a UV coating   |
| Sides:                    | 1/2" A-Grade Plywood   | Toe Kick:                                 | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade Plywood   | Installation Rail:                        | None  |
| Bottom (Base):            | 1/2" A-Grade Plywood   | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Back Panel:               | 1/2" A-Grade Plywood Full Back   | CARB Compliant:                           | Yes   |
| Shelves:                  | Adjustable 3/4" w/Front Edge Banding   | Door Hinges:                              | Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.  |
| Base Cabinet Shelf Depth: | 1/2  | Toe Kicks Included w/Base Cabinets:       | Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8" toe kick) is needed if cabinets are next to each other.   |
| Drawer Box:               | 5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction | Sides Panels Finished:                    | Yes   |
| Drawer Glides:            | Undermount, Full Extension, Soft Close Glides  | Installation/Designer Note:               | Cabinet specs are subject to change without notice. *Cabinet measurements are typically converted from metric to inches and manufacturers will commonly round up to the nearest 1/4 inch. This can cause a measurement to be off by a fraction of an inch (less than 1/4") which is within normal industry standards* |
| Base Corner Supports:     | 3/4" Solid Wood Corner Blocks  |   |   |
| Overlay:                  | Full   |   |   |
| Hinges:                   | 6-way Adjustable, Concealed, European Soft Close Hinges  |   |   |

## Charlotte Grey



|                           |  |                        |   |
|---------------------------|--|------------------------|---|
| Shipping Time:            | Ships in 5-15 business days                                      | Hinges:                | Soft-close  |
| Style:                    | Recessed   | Cabinet Interior:      | Clear coated natural maple interior               |
| Face Frame:               | 3/4" x 1-1/2" Solid Wood   | Center Stile:          | None  |
| Door Frame:               | Solid Maple  | Assembly Method:       | Nail/Screw/Glue                                   |
| Door Center:              | MDF (MDF is used to avoid cracking/warping)                      | Finish:                | Oil based finish                                  |
| Sides:                    | 1/2" Plywood   | Toe Kick:              | 1/2" thick, edge banded                           |
| Top & Bottom (Wall):      | 1/2" Plywood   | Installation Rail:     | 3/4" thick x 1-1/2" wide                          |
| Bottom (Base):            | 1/2" Plywood   | CARB Compliant:        | Yes   |
| Back Panel:               | 3" wide x 3/4" thick picture frame back with 1/4" plywood center | Door Hinges:           | Doors can be flipped for a left or right assembly |
| Shelves:                  | 3/4" plywood, adjustable, metal shelf rests                      | Sides Panels Finished: | Yes   |
| Base Cabinet Shelf Depth: | 18"  |                        |   |
| Drawer Box:               | Dovetail drawer boxes, 1/2" thick solid wood side panels         |                        |   |
| Drawer Glides:            | Full extension, soft closing, undermount glides                  |                        |   |
| Base Corner Supports:     | Metal bracket reinforced corners                                 |                        |   |
| Overlay:                  | Full   |                        |   |



## Heather Grey Shaker



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | This finish ships in 5-15 business days  | Cabinet Interior:                         | Matches door finish   |
| Style:                    | Shaker   | Center Stile:                             | No center stile on cabinetry 24"W to 36"W   |
| Face Frame:               | 3/4" Solid Eucalyptus Grandis  | Assembly Method:                          | Steel Clip  |
| Door Frame:               | 3/4" Solid Eucalyptus Grandis  | Finish:                                   | Waterborne UV Finish  |
| Door Center:              | 13/16" Solid Eucalyptus Grandis  | Toe Kick:                                 | 1/2" Plywood  |
| Sides:                    | 1/2" A-Grade plywood with wood veneer  | Installation Rail:                        | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade plywood with wood veneer  | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Bottom (Base):            | 3/8" A-Grade plywood with wood veneer  | CARB Compliant:                           | Yes   |
| Back Panel:               | Wall Cabinets: 1/2" Picture Frame recess style.<br>Most Base Cabinets: 1/2" FULL Back (some base cabinets will have a picture frame recessed back) | Door Hinges:                              | Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This) |
| Shelves:                  | 3/4 " A-Grade plywood with wood veneer   | Toe Kicks Included w/Base Cabinets:       | Yes   |
| Base Cabinet Shelf Depth: | 1/2  | Sides Panels Finished:                    | Yes   |
| Drawer Box:               | Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21".<br>Dovetail construction, Natural finish.                    | Installation Note:                        | For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.                    |
| Drawer Glides:            | Undermount, full extension with soft closing feature   |   |   |
| Base Corner Supports:     | Wood corner brackets with wood I-beam construction   |   |   |
| Overlay:                  | Full with Butt doors   |   |   |
| Hinges:                   | Concealed 6-way adjustable with Soft Closing Feature   |   |   |

## Graphite Grey Shaker



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | Ships in 3-7 business days   | Hinges:                                   | 6-way Adjustable, Concealed, European Soft Close Hinges   |
| Style:                    | Shaker   | Cabinet Interior:                         | UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)  |
| Face Frame:               | 3/4" x 1-3/4" Birch  | Center Stile:                             | None (unless listed in the cabinet description)   |
| Door Frame:               | 3/4" Solid Birch   | Assembly Method:                          | Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used |
| Door Center:              | Premium MDF (MDF is used to avoid cracking/warping)  | Finish:                                   | 7 step, acid-catalyzed finish process with a UV coating   |
| Sides:                    | 1/2" A-Grade Plywood   | Toe Kick:                                 | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade Plywood   | Installation Rail:                        | None  |
| Bottom (Base):            | 1/2" A-Grade Plywood   | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Back Panel:               | 1/2" A-Grade Plywood Full Back   | CARB Compliant:                           | Yes   |
| Shelves:                  | Adjustable 3/4" w/Front Edge Banding   | Door Hinges:                              | Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.  |
| Base Cabinet Shelf Depth: | 1/2  | Toe Kicks Included w/Base Cabinets:       | Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.   |
| Drawer Box:               | 5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction | Sides Panels Finished:                    | Yes   |
| Drawer Glides:            | Undermount, Full Extension, Soft Close Glides  |   |   |
| Base Corner Supports:     | 3/4" Solid Wood Corner Blocks  |   |   |
| Overlay:                  | Full   |   |   |

## Charcoal Grey Shaker



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | Ships in 3-7 business days   | Hinges:                                   | 6-way Adjustable, Concealed, European Soft Close Hinges   |
| Style:                    | Shaker   | Cabinet Interior:                         | UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)  |
| Face Frame:               | 3/4" x 1-3/4" Birch  | Center Stile:                             | None (unless listed in the cabinet description)   |
| Door Frame:               | 3/4" Solid Birch   | Assembly Method:                          | Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used |
| Door Center:              | Premium MDF (MDF is used to avoid cracking/warping)  | Finish:                                   | 7 step, acid-catalyzed finish process with a UV coating   |
| Sides:                    | 1/2" A-Grade Plywood   | Toe Kick:                                 | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade Plywood   | Installation Rail:                        | None  |
| Bottom (Base):            | 1/2" A-Grade Plywood   | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Back Panel:               | 1/2" A-Grade Plywood Full Back   | CARB Compliant:                           | Yes   |
| Shelves:                  | Adjustable 3/4" w/Front Edge Banding   | Door Hinges:                              | Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.  |
| Base Cabinet Shelf Depth: | 1/2  | Toe Kicks Included w/Base Cabinets:       | Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.   |
| Drawer Box:               | 5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction | Sides Panels Finished:                    | Yes   |
| Drawer Glides:            | Undermount, Full Extension, Soft Close Glides  |   |   |
| Base Corner Supports:     | 3/4" Solid Wood Corner Blocks  |   |   |
| Overlay:                  | Full   |   |   |



## Natural Grey Shaker



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | This finish ships in 5-15 business days  | Cabinet Interior:                         | Matches door finish   |
| Style:                    | Shaker   | Center Stile:                             | No center stile on cabinetry 24"W to 36"W   |
| Face Frame:               | 3/4" Solid Birch   | Assembly Method:                          | Steel Clip  |
| Door Frame:               | 3/4" Solid Maple   | Finish:                                   | Waterborne UV Finish  |
| Door Center:              | MDF (MDF is used to avoid cracking/warping) with a maple veneer  | Toe Kick:                                 | 1/2" Plywood  |
| Sides:                    | 1/2" A-Grade plywood with wood veneer  | Installation Rail:                        | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade plywood with wood veneer  | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Bottom (Base):            | 3/8" A-Grade plywood with wood veneer  | CARB Compliant:                           | Yes   |
| Back Panel:               | 1/2" Picture Frame recess style  | Door Hinges:                              | Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This) |
| Shelves:                  | 3/4" A-Grade plywood with wood veneer  | Toe Kicks Included w/Base Cabinets:       | Yes   |
| Base Cabinet Shelf Depth: | 1/2  | Sides Panels Finished:                    | Yes   |
| Drawer Box:               | Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish. | Installation Note:                        | For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.                    |
| Drawer Glides:            | Undermount, full extension with soft closing feature   |   |   |
| Base Corner Supports:     | Wood corner brackets with wood I-beam construction   |   |   |
| Overlay:                  | Full with Butt doors   |   |   |
| Hinges:                   | Concealed 6-way adjustable with Soft Closing Feature   |   |   |

## Providence Slate Grey



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | This finish ships in 5-15 business days  | Cabinet Interior:                         | Matches door finish   |
| Style:                    | Recessed square  | Center Stile:                             | No center stile on cabinetry 24"W to 36"W   |
| Face Frame:               | 3/4" Solid Eucalyptus Grandis  | Assembly Method:                          | Steel Clip  |
| Door Frame:               | 3/4" Solid Eucalyptus Grandis  | Finish:                                   | Waterborne UV Finish  |
| Door Center:              | 1/2" Solid Eucalyptus Grandis  | Toe Kick:                                 | 1/2" Plywood  |
| Sides:                    | 1/2" A-Grade plywood with wood veneer  | Installation Rail:                        | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade plywood with wood veneer  | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Bottom (Base):            | 3/8" A-Grade plywood with wood veneer  | CARB Compliant:                           | Yes   |
| Back Panel:               | Wall Cabinets: 1/2" Picture Frame recess style.<br>Most Base Cabinets: 1/2" FULL Back (some base cabinets will have a picture frame recessed back) | Door Hinges:                              | Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This) |
| Shelves:                  | 3/4 " A-Grade plywood with wood veneer   | Toe Kicks Included w/Base Cabinets:       | Yes   |
| Base Cabinet Shelf Depth: | 1/2  | Sides Panels Finished:                    | Yes   |
| Drawer Box:               | Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21".<br>Dovetail construction, Natural finish.                    | Installation Note:                        | For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.                    |
| Drawer Glides:            | Undermount, full extension with soft closing feature   |   |   |
| Base Corner Supports:     | Wood corner brackets with wood I-beam construction   |   |   |
| Overlay:                  | Full with Butt doors   |   |   |
| Hinges:                   | Concealed 6-way adjustable with Soft Closing Feature   |   |   |

## Providence Natural Grey



|                           |  |   |  |
|---------------------------|--|---|--|
| Shipping Time:            | This finish ships in 5-15 business days  | Hinges:                                   | Concealed 6-way adjustable with Soft Closing Feature   |
| Style:                    | Recessed   | Cabinet Interior:                         | Matches door finish  |
| Face Frame:               | 3/4" Solid Birch   | Center Stile:                             | No center stile on cabinetry 24"W to 36"W  |
| Door Frame:               | 3/4" Solid Birch   | Assembly Method:                          | Steel Clip   |
| Door Center:              | MDF w/Maple Veneer (MDF is used to avoid cracking/warping)   | Finish:                                   | Waterborne UV Finish   |
| Sides:                    | 1/2" A-Grade plywood with wood veneer  | Toe Kick:                                 | 1/2" Plywood   |
| Top & Bottom (Wall):      | 1/2" A-Grade plywood with wood veneer  | Installation Rail:                        | 1/2" Plywood   |
| Bottom (Base):            | 3/8" A-Grade plywood with wood veneer  | Wall Cabinet Bottoms Finished (Exterior): | Yes  |
| Back Panel:               | 1/2" Picture Frame recess style  | CARB Compliant:                           | Yes  |
| Shelves:                  | 3/4" A-Grade plywood with wood veneer  | Door Hinges:                              | Hinged To The Right By Default. Please Use Drop Down Options For Each Cabinet To Change Hinging From Right To Left   |
| Base Cabinet Shelf Depth: | 1/2  | Toe Kicks Included w/Base Cabinets:       | Yes  |
| Drawer Box:               | Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish. | Sides Panels Finished:                    | Yes  |
| Drawer Glides:            | Undermount, full extension with soft closing feature   | Installation Note:                        | For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly. |
| Base Corner Supports:     | Wood corner brackets with wood I-beam construction   |   |  |
| Overlay:                  | Full with Butt doors   |   |  |



## Harvest Oak



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | This finish ships in 5-15 business days  | Cabinet Interior:                         | Matches door finish   |
| Style:                    | Raised Square (5 piece decor header)   | Center Stile:                             | No center stile on cabinetry 24"W to 36"W   |
| Face Frame:               | 3/4" Solid Wood  | Assembly Method:                          | Steel Clip  |
| Door Frame:               | 3/4" Solid Oak   | Finish:                                   | Polyurethane Finish   |
| Door Center:              | MDF with Oak Veneer (MDF is used to avoid cracking/warping)  | Toe Kick:                                 | 1/2" Plywood  |
| Sides:                    | 1/2" A-Grade plywood with wood veneer  | Installation Rail:                        | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade plywood with wood veneer  | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Bottom (Base):            | 1/2" A-Grade plywood with wood veneer  | CARB Compliant:                           | Yes   |
| Back Panel:               | 1/2" Picture Frame recess style  | Door Hinges:                              | Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This) |
| Shelves:                  | 3/4 " A-Grade plywood with wood veneer   | Toe Kicks Included w/Base Cabinets:       | Yes   |
| Base Cabinet Shelf Depth: | 1/2  | Sides Panels Finished:                    | Yes   |
| Drawer Box:               | Solid Wood 3/5" sides, Drawer bottom 1/2" plywood, Drawer length 21". Rabbet joint construction, Natural Oak finish. | Installation Note:                        | For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.                    |
| Drawer Glides:            | Epoxy coated metal side mount  |   |   |
| Base Corner Supports:     | Plastic corner brackets  |   |   |
| Overlay:                  | Full with butt doors   |   |   |
| Hinges:                   | Concealed 6-way adjustable   |   |   |

## Shaker Honey



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | This finish ships in 5-15 business days  | Cabinet Interior:                         | Matches door finish   |
| Style:                    | Shaker   | Center Stile:                             | No center stile on cabinetry 24"W to 36"W   |
| Face Frame:               | 3/4" Solid Birch   | Assembly Method:                          | Steel Clip  |
| Door Frame:               | 3/4" Solid Birch   | Finish:                                   | Waterborne UV Finish from Sherwin Williams  |
| Door Center:              | MDF with Birch Veneer (MDF is used to avoid cracking/warping)  | Toe Kick:                                 | 1/2" Plywood  |
| Sides:                    | 1/2" A-Grade plywood with wood veneer  | Installation Rail:                        | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade plywood with wood veneer  | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Bottom (Base):            | 3/8" A-Grade plywood with wood veneer  | CARB Compliant:                           | Yes   |
| Back Panel:               | 1/2" Picture Frame recess style  | Door Hinges:                              | Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This) |
| Shelves:                  | 3/4" A-Grade plywood with wood veneer  | Toe Kicks Included w/Base Cabinets:       | Yes   |
| Base Cabinet Shelf Depth: | 1/2  | Sides Panels Finished:                    | Yes   |
| Drawer Box:               | Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish. | Installation Note:                        | For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.                    |
| Drawer Glides:            | Undermount, full extension with soft closing feature   |   |   |
| Base Corner Supports:     | Wood corner brackets with wood I-beam construction   |   |   |
| Overlay:                  | Full with butt doors   |   |   |
| Hinges:                   | Concealed 6-way adjustable with Soft Closing Feature   |   |   |

## Regency Spiced Glaze



|                           |   |   |   |
|---------------------------|---|---|---|
| Shipping Time:            | This finish ships in 5-15 business days   | Cabinet Interior:                         | Matches door finish   |
| Style:                    | Raised Square (5pc recessed drawer header)  | Center Stile:                             | No center stile on cabinetry 24"W to 36"W   |
| Face Frame:               | 3/4" Solid Birch  | Assembly Method:                          | Steel Clip  |
| Door Frame:               | 3/4" Solid Birch  | Finish:                                   | Polyurethane Finish with Glaze (Except KT)  |
| Door Center:              | MDF with Birch Veneer (MDF is used to avoid cracking/warping)   | Toe Kick:                                 | 1/2" Plywood  |
| Sides:                    | 1/2" A-Grade plywood with wood veneer   | Installation Rail:                        | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade plywood with wood veneer   | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Bottom (Base):            | 1/2" A-Grade plywood with wood veneer   | CARB Compliant:                           | Yes   |
| Back Panel:               | 1/2" Picture Frame recess style   | Door Hinges:                              | Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This) |
| Shelves:                  | 3/4 " A-Grade plywood with wood veneer  | Toe Kicks Included w/Base Cabinets:       | Yes   |
| Base Cabinet Shelf Depth: | 1/2   | Sides Panels Finished:                    | Yes   |
| Drawer Box:               | Solid Wood 3/5" sides, Drawer bottom 1/2" plywood, Drawer length 21, Dovetail construction, Natural finish. | Installation Note:                        | For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.                    |
| Drawer Glides:            | Epoxy coated metal undermount   |   |   |
| Base Corner Supports:     | Plastic corner brackets   |   |   |
| Overlay:                  | Full with Butt doors  |   |   |
| Hinges:                   | Concealed 6-way adjustable  |   |   |



## Lexington Cinnamon Glaze



|                           |  |                        |   |
|---------------------------|--|------------------------|---|
| Shipping Time:            | Ships in 5-15 business days                                      | Hinges:                | Soft-close  |
| Style:                    | Raised   | Cabinet Interior:      | Clear coated natural maple interior   |
| Face Frame:               | 3/4" x 1-1/2" Solid Wood   | Center Stile:          | None  |
| Door Frame:               | Solid Maple  | Assembly Method:       | Nail/Screw/Glue   |
| Door Center:              | Solid Maple  | Finish:                | Oil based finish  |
| Sides:                    | 1/2" Plywood   | Toe Kick:              | 1/2" thick, edge banded   |
| Top & Bottom (Wall):      | 1/2" Plywood   | Installation Rail:     | 3/4" thick x 1-1/2" wide  |
| Bottom (Base):            | 1/2" Plywood   | CARB Compliant:        | Yes   |
| Back Panel:               | 3" wide x 3/4" thick picture frame back with 1/4" plywood center | Door Hinges:           | Doors can be flipped for a left or right assembly   |
| Shelves:                  | 3/4" plywood, adjustable, metal shelf rests                      | Sides Panels Finished: | Yes   |
| Base Cabinet Shelf Depth: | 18"  | Design Note:           | Scribe needs to be used for a wall cabinet against a wall or deeper cabinet/appliance. For base cabinets, leave use at least 3/4" to a 1" filler if base molding is being used, if not, then scribe is sufficient |
| Drawer Box:               | Dovetail drawer boxes, 1/2" thick solid wood side panels         |                        |   |
| Drawer Glides:            | Full extension, soft closing, undermount glides                  |                        |   |
| Base Corner Supports:     | Metal bracket reinforced corners                                 |                        |   |
| Overlay:                  | Full   |                        |   |

## Cafe Mocha Glaze



|                           |   |   |  |
|---------------------------|---|---|--|
| Shipping Time:            | Ships in 5-15 business days   | Cabinet Interior:                         | Natural Maple (Glass Door Cabinets will have matching interiors)   |
| Style:                    | Raised Panel  | Center Stile:                             | None   |
| Face Frame:               | 3/4" Solid Maple  | Assembly Method:                          | Staple/Nail/Glue   |
| Door Frame:               | 3/4" Solid Maple  | Finish:                                   | Hand Applied Stain and Glaze   |
| Door Center:              | Solid Maple   | Toe Kick:                                 | 1/2" Solid Maple   |
| Sides:                    | 1/2" Plywood  | Installation Rail:                        | None   |
| Top & Bottom (Wall):      | 1/2" Plywood  | Wall Cabinet Bottoms Finished (Exterior): | No - Top And Bottom Are Unfinished Plywood   |
| Bottom (Base):            | 1/2" Plywood  | CARB Compliant:                           | Yes  |
| Back Panel:               | 1/2" Plywood (Sink Base/Vanity Cabinets - except vanity drawer bases - do not have back panels but do have hanging rails) | Door Hinges:                              | Pre-Drilled To The Right - Wall Cabinets Can Be Flipped, Base Cabinets Will Have To Have The Hinges Moved To The Opposite Side. Holes Can Be Filled If Preferred, But They Will Only Be Visible When The Door Is Open.   |
| Shelves:                  | 5/8" Thick Plywood, Adjustable with Metal Shelf Rests   | Toe Kicks Included w/Base Cabinets:       | Yes  |
| Base Cabinet Shelf Depth: | 1/2   | Sides Panels Finished:                    | Yes  |
| Drawer Box:               | Dovetail, 1/2" Thick Solid Wood Sides, 3/8" Plywood Bottoms   | Installation Note:                        | For this full overlay door style, if a cabinet is being installed against a wall, a 1/2" clearance is recommended between the wall and side of the cabinet to allow the door to open properly. Scribe molding can usually be used for very narrow spaces, however, only choose that option if the design doesn't allow for a 1/2" clearance. |
| Drawer Glides:            | Full Extension, Undermounted, Soft Close, Steel Concealed Drawer Glides   |   |  |
| Base Corner Supports:     | Metal Bracket Reinforcements for Base Cabinets  |   |  |
| Overlay:                  | Full  |   |  |
| Hinges:                   | Soft Close, 4-6 Way Adjustable European Concealed Metal Hinges  |   |  |



## Phoenix Caramel Glaze



|                           |  |                        |   |
|---------------------------|--|------------------------|---|
| Shipping Time:            | Ships in 5-15 business days                                      | Hinges:                | Soft-close  |
| Style:                    | Raised   | Cabinet Interior:      | Clear coated natural maple interior   |
| Face Frame:               | 3/4" x 1-1/2" Solid Wood   | Center Stile:          | None  |
| Door Frame:               | Solid Maple  | Assembly Method:       | Nail/Screw/Glue   |
| Door Center:              | Solid Maple  | Finish:                | Oil based finish  |
| Sides:                    | 1/2" Plywood   | Toe Kick:              | 1/2" thick, edge banded   |
| Top & Bottom (Wall):      | 1/2" Plywood   | Installation Rail:     | 3/4" thick x 1-1/2" wide  |
| Bottom (Base):            | 1/2" Plywood   | CARB Compliant:        | Yes   |
| Back Panel:               | 3" wide x 3/4" thick picture frame back with 1/4" plywood center | Door Hinges:           | Doors can be flipped for a left or right assembly   |
| Shelves:                  | 3/4" plywood, adjustable, metal shelf rests                      | Sides Panels Finished: | Yes   |
| Base Cabinet Shelf Depth: | 18"  | Design Note:           | Scribe needs to be used for a wall cabinet against a wall or deeper cabinet/appliance. For base cabinets, leave use at least 3/4" to a 1" filler if base molding is being used, if not, then scribe is sufficient |
| Drawer Box:               | Dovetail drawer boxes, 1/2" thick solid wood side panels         |                        |   |
| Drawer Glides:            | Full extension, soft closing, undermount glides                  |                        |   |
| Base Corner Supports:     | Metal bracket reinforced corners                                 |                        |   |
| Overlay:                  | Full   |                        |   |



## Nutmeg Twist



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | This finish ships in 5-15 business days  | Cabinet Interior:                         | Matches door finish   |
| Style:                    | Raised Square  | Center Stile:                             | No center stile on cabinetry 24"W to 36"W   |
| Face Frame:               | 3/4" Solid Birch   | Assembly Method:                          | Steel Clip  |
| Door Frame:               | 3/4" Solid Birch   | Finish:                                   | Waterborne UV Finish from Sherwin Williams with Glaze   |
| Door Center:              | Solid Birch  | Toe Kick:                                 | 1/2" Plywood  |
| Sides:                    | 1/2" A-Grade plywood with wood veneer  | Installation Rail:                        | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade plywood with wood veneer  | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Bottom (Base):            | 3/8" A-Grade plywood with wood veneer  | CARB Compliant:                           | Yes   |
| Back Panel:               | 1/2" Picture Frame recess style  | Door Hinges:                              | Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This) |
| Shelves:                  | 3/4" A-Grade plywood with wood veneer  | Toe Kicks Included w/Base Cabinets:       | Yes   |
| Base Cabinet Shelf Depth: | 1/2  | Sides Panels Finished:                    | Yes   |
| Drawer Box:               | Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish. | Installation Note:                        | For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.                    |
| Drawer Glides:            | Undermount, full extension with soft closing feature   |   |   |
| Base Corner Supports:     | Wood corner brackets with wood I-beam construction   |   |   |
| Overlay:                  | Full with Butt doors   |   |   |
| Hinges:                   | Concealed 6-way adjustable with Soft Closing Feature   |   |   |

## Newberry Merlot



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | This finish ships in 5-15 business days  | Cabinet Interior:                         | Matches door finish   |
| Style:                    | Raised Square  | Center Stile:                             | No center stile on cabinetry 24"W to 36"W   |
| Face Frame:               | 3/4" Solid Birch   | Assembly Method:                          | Steel Clip  |
| Door Frame:               | 3/4" Solid Birch   | Finish:                                   | Waterborne UV Finish from Sherwin Williams with Glaze   |
| Door Center:              | Solid Birch  | Toe Kick:                                 | 1/2" Plywood  |
| Sides:                    | 1/2" A-Grade plywood with wood veneer  | Installation Rail:                        | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade plywood with wood veneer  | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Bottom (Base):            | 1/2" A-Grade plywood with wood veneer  | CARB Compliant:                           | Yes   |
| Back Panel:               | Full back on bases (3/4" plywood)  | Door Hinges:                              | Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This) |
| Shelves:                  | 3/4" A-Grade plywood with wood veneer  | Toe Kicks Included w/Base Cabinets:       | Yes   |
| Base Cabinet Shelf Depth: | 1/2  | Sides Panels Finished:                    | Yes   |
| Drawer Box:               | Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish. | Installation Note:                        | For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.                    |
| Drawer Glides:            | Undermount, full extension with soft closing feature   |   |   |
| Base Corner Supports:     | Wood corner brackets with wood I-beam construction   |   |   |
| Overlay:                  | Full with butt doors   |   |   |
| Hinges:                   | Concealed 6-way adjustable with Soft Closing Feature   |   |   |

## Cayenne Cognac



|                           |   |   |  |
|---------------------------|---|---|--|
| Shipping Time:            | Ships in 5-15 business days   | Cabinet Interior:                         | Natural Maple (Glass Door Cabinets will have matching interiors)   |
| Style:                    | Raised Panel  | Center Stile:                             | None   |
| Face Frame:               | 3/4" Solid Maple  | Assembly Method:                          | Staple/Nail/Glue   |
| Door Frame:               | 3/4" Solid Maple  | Finish:                                   | Hand Applied Stain and Glaze   |
| Door Center:              | Solid Maple   | Toe Kick:                                 | 1/2" Solid Maple   |
| Sides:                    | 1/2"Plywood   | Installation Rail:                        | None   |
| Top & Bottom (Wall):      | 1/2" Plywood  | Wall Cabinet Bottoms Finished (Exterior): | No - Top And Bottom Are Unfinished Plywood   |
| Bottom (Base):            | 1/2" Plywood  | CARB Compliant:                           | Yes  |
| Back Panel:               | 1/2" Plywood (Sink Base/Vanity Cabinets - except vanity drawer bases - do not have back panels but do have hanging rails) | Door Hinges:                              | Pre-Drilled To The Right - Wall Cabinets Can Be Flipped, Base Cabinets Will Have To Have The Hinges Moved To The Opposite Side. Holes Can Be Filled If Preferred, But They Will Only Be Visible When The Door Is Open.   |
| Shelves:                  | 5/8" Thick Plywood, Adjustable with Metal Shelf Rests   | Toe Kicks Included w/Base Cabinets:       | Yes  |
| Base Cabinet Shelf Depth: | 1/2   | Sides Panels Finished:                    | Yes  |
| Drawer Box:               | Dovetail, 1/2" Thick Solid Wood Sides, 3/8" Plywood Bottoms   | Installation Note:                        | For this full overlay door style, if a cabinet is being installed against a wall, a 1/2" clearance is recommended between the wall and side of the cabinet to allow the door to open properly. Scribe molding can usually be used for very narrow spaces, however, only choose that option if the design doesn't allow for a 1/2" clearance. |
| Drawer Glides:            | Full Extension, Undermounted, Soft Close, Steel Concealed Drawer Glides   |   |  |
| Base Corner Supports:     | Metal Bracket Reinforcements for Base Cabinets  |   |  |
| Overlay:                  | Full  |   |  |
| Hinges:                   | Soft Close, 4-6 Way Adjustable European Concealed Metal Hinges  |   |  |



## Regency Pomegranate Glaze



|                           |   |   |   |
|---------------------------|---|---|---|
| Shipping Time:            | This finish ships in 5-15 business days   | Cabinet Interior:                         | Matches door finish   |
| Style:                    | Raised Square (5pc recessed drawer header)  | Center Stile:                             | No center stile on cabinetry 24"W to 36"W   |
| Face Frame:               | 3/4" Solid Birch  | Assembly Method:                          | Steel Clip  |
| Door Frame:               | 3/4" Solid Birch  | Finish:                                   | Polyurethane Finish with Glaze (Except KT)  |
| Door Center:              | MDF with Birch Veneer (MDF is used to avoid cracking/warping)   | Toe Kick:                                 | 1/2" Plywood  |
| Sides:                    | 1/2" A-Grade plywood with wood veneer   | Installation Rail:                        | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade plywood with wood veneer   | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Bottom (Base):            | 1/2" A-Grade plywood with wood veneer   | CARB Compliant:                           | Yes   |
| Back Panel:               | 1/2" Picture Frame recess style   | Door Hinges:                              | Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This) |
| Shelves:                  | 3/4 " A-Grade plywood with wood veneer  | Toe Kicks Included w/Base Cabinets:       | Yes   |
| Base Cabinet Shelf Depth: | 1/2   | Sides Panels Finished:                    | Yes   |
| Drawer Box:               | Solid Wood 3/5" sides, Drawer bottom 1/2" plywood, Drawer length 21, Dovetail construction, Natural finish. | Installation Note:                        | For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.                    |
| Drawer Glides:            | Epoxy coated metal undermount   |   |   |
| Base Corner Supports:     | Plastic corner brackets   |   |   |
| Overlay:                  | Full with Butt doors  |   |   |
| Hinges:                   | Concealed 6-way adjustable  |   |   |

## Brantley Chocolate Glaze



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | Ships in 3-7 business days   | Hinges:                                   | 6-way Adjustable, Concealed, European Soft Close Hinges   |
| Style:                    | Recessed Panel   | Cabinet Interior:                         | UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)  |
| Face Frame:               | 3/4" x 1-3/4" Birch  | Center Stile:                             | None (unless listed in the cabinet description)   |
| Door Frame:               | 3/4" Solid Birch, Mitered Doors  | Assembly Method:                          | Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used |
| Door Center:              | Veneered MDF (MDF is used to avoid cracking/warping)   |   |   |
| Sides:                    | 1/2" A-Grade Plywood   | Finish:                                   | 7 step, acid-catalyzed finish process with a UV coating and brushed glaze   |
| Top & Bottom (Wall):      | 1/2" A-Grade Plywood   | Toe Kick:                                 | 1/2" Plywood  |
| Bottom (Base):            | 1/2" A-Grade Plywood   | Installation Rail:                        | None  |
| Back Panel:               | 1/2" Plywood Full Back   | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Shelves:                  | Adjustable 3/4" w/Front Edge Banding   | CARB Compliant:                           | Yes   |
| Base Cabinet Shelf Depth: | 1/2  | Door Hinges:                              | Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.  |
| Drawer Box:               | 5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction | Toe Kicks Included w/Base Cabinets:       | Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8" toe kick) is needed if cabinets are next to each other.   |
| Drawer Glides:            | Undermount, Full Extension, Soft Close Glides  | Sides Panels Finished:                    | Yes   |
| Base Corner Supports:     | 3/4" Solid Wood Corner Blocks  |   |   |
| Overlay:                  | Full   |   |   |

## Cambridge Saddle Glaze



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | Ships in 3-7 business days   | Hinges:                                   | 6-way Adjustable, Concealed, European Soft Close Hinges   |
| Style:                    | Raised Square  | Cabinet Interior:                         | UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)  |
| Face Frame:               | 3/4" x 1-3/4" Birch  | Center Stile:                             | None (unless listed in the cabinet description)   |
| Door Frame:               | 3/4" Solid Birch, Mitered Doors  | Assembly Method:                          | Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used |
| Door Center:              | Solid Birch  | Finish:                                   | 7 step, acid-catalyzed finish process with a UV coating and brushed glaze   |
| Sides:                    | 1/2" A-Grade Plywood   | Toe Kick:                                 | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade Plywood   | Installation Rail:                        | None  |
| Bottom (Base):            | 1/2" A-Grade Plywood   | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Back Panel:               | 1/2" A-Grade Plywood Full Back   | CARB Compliant:                           | Yes   |
| Shelves:                  | Adjustable 3/4" w/Front Edge Banding   | Door Hinges:                              | Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.  |
| Base Cabinet Shelf Depth: | 1/2  | Toe Kicks Included w/Base Cabinets:       | Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8" toe kick) is needed if cabinets are next to each other.   |
| Drawer Box:               | 5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction | Sides Panels Finished:                    | Yes   |
| Drawer Glides:            | Undermount, Full Extension, Soft Close Glides  |   |   |
| Base Corner Supports:     | 3/4" Solid Wood Corner Blocks  |   |   |
| Overlay:                  | Full   |   |   |



## Signature Chocolate



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | This finish ships in 5-15 business days  | Cabinet Interior:                         | Matches door finish   |
| Style:                    | Raised Square  | Center Stile:                             | No center stile on cabinetry 24"W to 36"W   |
| Face Frame:               | 3/4" Solid Birch   | Assembly Method:                          | Steel Clip  |
| Door Frame:               | 3/4" Solid Birch   | Finish:                                   | Waterborne UV Finish from Sherwin Williams with Glaze   |
| Door Center:              | Solid Birch  | Toe Kick:                                 | 1/2" Plywood  |
| Sides:                    | 1/2" A-Grade plywood with wood veneer  | Installation Rail:                        | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade plywood with wood veneer  | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Bottom (Base):            | 3/8" A-Grade plywood with wood veneer  | CARB Compliant:                           | Yes   |
| Back Panel:               | 1/2" Picture Frame recess style  | Door Hinges:                              | Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This) |
| Shelves:                  | 3/4" A-Grade plywood with wood veneer  | Toe Kicks Included w/Base Cabinets:       | Yes   |
| Base Cabinet Shelf Depth: | 1/2  | Sides Panels Finished:                    | Yes   |
| Drawer Box:               | Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish. | Installation Note:                        | For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.                    |
| Drawer Glides:            | Undermount, full extension with soft closing feature   |   |   |
| Base Corner Supports:     | Wood corner brackets with wood I-beam construction   |   |   |
| Overlay:                  | Full with Butt doors   |   |   |
| Hinges:                   | Concealed 6-way adjustable with Soft Closing Feature   |   |   |

## Regency Espresso



|                           |   |   |   |
|---------------------------|---|---|---|
| Shipping Time:            | This finish ships in 5-15 business days   | Cabinet Interior:                         | Matches door finish   |
| Style:                    | Raised Square (5pc recessed drawer header)  | Center Stile:                             | No center stile on cabinetry 24"W to 36"W   |
| Face Frame:               | 3/4" Solid Birch  | Assembly Method:                          | Steel Clip  |
| Door Frame:               | 3/4" Solid Birch  | Finish:                                   | Polyurethane Finish with Glaze (Except KT)  |
| Door Center:              | MDF with Birch Veneer (MDF is used to avoid cracking/warping)   | Toe Kick:                                 | 1/2" Plywood  |
| Sides:                    | 1/2" A-Grade plywood with wood veneer   | Installation Rail:                        | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade plywood with wood veneer   | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Bottom (Base):            | 1/2" A-Grade plywood with wood veneer   | CARB Compliant:                           | Yes   |
| Back Panel:               | 1/2" Picture Frame recess style   | Door Hinges:                              | Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This) |
| Shelves:                  | 3/4" A-Grade plywood with wood veneer   | Toe Kicks Included w/Base Cabinets:       | Yes   |
| Base Cabinet Shelf Depth: | 1/2   | Sides Panels Finished:                    | Yes   |
| Drawer Box:               | Solid Wood 3/5" sides, Drawer bottom 1/2" plywood, Drawer length 21, Dovetail construction, Natural finish. | Installation Note:                        | For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.                    |
| Drawer Glides:            | Epoxy coated metal undermount   |   |   |
| Base Corner Supports:     | Plastic corner brackets   |   |   |
| Overlay:                  | Full with Butt doors  |   |   |
| Hinges:                   | Concealed 6-way adjustable  |   |   |



## Coffee Shaker



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | Ships in 3-7 business days   | Hinges:                                   | 6-way Adjustable, Concealed, European Soft Close Hinges   |
| Style:                    | Shaker   | Cabinet Interior:                         | UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)  |
| Face Frame:               | 3/4" x 1-3/4" Birch  | Center Stile:                             | None (unless listed in the cabinet description)   |
| Door Frame:               | 3/4" Solid Birch   | Assembly Method:                          | Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used |
| Door Center:              | Solid Birch  | Finish:                                   | 7 step, acid-catalyzed finish process with a UV coating   |
| Sides:                    | 1/2" A-Grade Plywood   | Toe Kick:                                 | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade Plywood   | Installation Rail:                        | None  |
| Bottom (Base):            | 1/2" A-Grade Plywood   | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Back Panel:               | 1/2" A-Grade Plywood Full Back   | CARB Compliant:                           | Yes   |
| Shelves:                  | Adjustable 3/4" w/Front Edge Banding   | Door Hinges:                              | Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.  |
| Base Cabinet Shelf Depth: | 1/2  | Toe Kicks Included w/Base Cabinets:       | Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.   |
| Drawer Box:               | 5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction | Sides Panels Finished:                    | Yes   |
| Drawer Glides:            | Undermount, Full Extension, Soft Close Glides  |   |   |
| Base Corner Supports:     | 3/4" Solid Wood Corner Blocks  |   |   |
| Overlay:                  | Full   |   |   |



## Dark Chocolate Shaker



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | Ships in 3-7 business days   | Hinges:                                   | 6-way Adjustable, Concealed, European Soft Close Hinges   |
| Style:                    | Shaker   | Cabinet Interior:                         | UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)  |
| Face Frame:               | 3/4" x 1-3/4" Birch  | Center Stile:                             | None (unless listed in the cabinet description)   |
| Door Frame:               | 3/4" Solid Birch, Mortise & Tenon Doors  | Assembly Method:                          | Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used |
| Door Center:              | Veneered MDF Center Panel (MDF is used to avoid cracking/warping)  |   |   |
| Sides:                    | 1/2" A-Grade Plywood   | Finish:                                   | 7 step, acid-catalyzed finish process with a UV coating and brushed glaze   |
| Top & Bottom (Wall):      | 1/2" A-Grade Plywood   | Toe Kick:                                 | 1/2" Plywood  |
| Bottom (Base):            | 1/2" A-Grade Plywood   | Installation Rail:                        | None  |
| Back Panel:               | 1/2" A-Grade Plywood Full Back   | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Shelves:                  | Adjustable 3/4" w/Front Edge Banding   | CARB Compliant:                           | Yes   |
| Base Cabinet Shelf Depth: | 1/2  | Door Hinges:                              | Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.  |
| Drawer Box:               | 5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction | Toe Kicks Included w/Base Cabinets:       | Yes, but the SM-TKC (8' toe kick) is needed for all base cabinets to cover the unfinished sides since the included toe kick fits in between the plywood side panels   |
| Drawer Glides:            | Undermount, Epoxy Drawer Glides  | Sides Panels Finished:                    | Yes   |
| Base Corner Supports:     | 3/4" Solid Wood Corner Blocks  |   |   |
| Overlay:                  | Full   |   |   |

## Brazilian Shaker



|                           |  |   |   |
|---------------------------|--|---|---|
| Shipping Time:            | This finish ships in 5-15 business days  | Cabinet Interior:                         | Matches door finish   |
| Style:                    | Shaker   | Center Stile:                             | No center stile on cabinetry 24"W to 36"W   |
| Face Frame:               | 3/4" Solid Birch   | Assembly Method:                          | Steel Clip  |
| Door Frame:               | 3/4" Solid Birch   | Finish:                                   | Waterborne UV Finish from Sherwin Williams  |
| Door Center:              | MDF with Birch Veneer (MDF is used to avoid cracking/warping)  | Toe Kick:                                 | 1/2" Plywood  |
| Sides:                    | 1/2" A-Grade plywood with wood veneer  | Installation Rail:                        | 1/2" Plywood  |
| Top & Bottom (Wall):      | 1/2" A-Grade plywood with wood veneer  | Wall Cabinet Bottoms Finished (Exterior): | Yes   |
| Bottom (Base):            | 3/8" A-Grade plywood with wood veneer  | CARB Compliant:                           | Yes   |
| Back Panel:               | 1/2" Picture Frame recess style  | Door Hinges:                              | Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This) |
| Shelves:                  | 3/4" A-Grade plywood with wood veneer  | Toe Kicks Included w/Base Cabinets:       | Yes   |
| Base Cabinet Shelf Depth: | 1/2  | Sides Panels Finished:                    | Yes   |
| Drawer Box:               | Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish. | Installation Note:                        | For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.                    |
| Drawer Glides:            | Undermount, full extension with soft closing feature   |   |   |
| Base Corner Supports:     | Wood corner brackets with wood I-beam construction   |   |   |
| Overlay:                  | Full with butt doors   |   |   |
| Hinges:                   | Concealed 6-way adjustable with Soft Closing Feature   |   |   |

## Southport Espresso Shaker



|                           |  |                        |   |
|---------------------------|--|------------------------|---|
| Shipping Time:            | Ships in 5-15 business days                                      | Hinges:                | Soft-close  |
| Style:                    | Shaker   | Cabinet Interior:      | Clear coated natural maple interior   |
| Face Frame:               | 3/4" x 1-1/2" Solid Wood   | Center Stile:          | None  |
| Door Frame:               | Solid Maple  | Assembly Method:       | Nail/Screw/Glue   |
| Door Center:              | Solid Maple  | Finish:                | Oil based finish  |
| Sides:                    | 1/2" Plywood   | Toe Kick:              | 1/2" thick, edge banded   |
| Top & Bottom (Wall):      | 1/2" Plywood   | Installation Rail:     | 3/4" thick x 1-1/2" wide  |
| Bottom (Base):            | 1/2" Plywood   | CARB Compliant:        | Yes   |
| Back Panel:               | 3" wide x 3/4" thick picture frame back with 1/4" plywood center | Door Hinges:           | Doors can be flipped for a left or right assembly   |
| Shelves:                  | 3/4" plywood, adjustable, metal shelf rests                      | Sides Panels Finished: | Yes   |
| Base Cabinet Shelf Depth: | 18"  | Design Note:           | Scribe needs to be used for a wall cabinet against a wall or deeper cabinet/appliance. For base cabinets, leave use at least 3/4" to a 1" filler if base molding is being used, if not, then scribe is sufficient |
| Drawer Box:               | Dovetail drawer boxes, 1/2" thick solid wood side panels         |                        |   |
| Drawer Glides:            | Full extension, soft closing, undermount glides                  |                        |   |
| Base Corner Supports:     | Metal bracket reinforced corners                                 |                        |   |
| Overlay:                  | Full   |                        |   |



## Espresso Bean



|                           |   |   |  |
|---------------------------|---|---|--|
| Shipping Time:            | Ships in 5-15 business days   | Cabinet Interior:                         | Natural Maple (Glass Door Cabinets will have matching interiors)   |
| Style:                    | Flat Panel with Decorative Groove   | Center Stile:                             | None   |
| Face Frame:               | 3/4" Solid Maple  | Assembly Method:                          | Staple/Nail/Glue   |
| Door Frame:               | 3/4" Solid Maple  | Finish:                                   | Hand Applied Stain and Glaze   |
| Door Center:              | Solid Maple   | Toe Kick:                                 | 1/2" Solid Maple   |
| Sides:                    | 1/2" Plywood  | Installation Rail:                        | None   |
| Top & Bottom (Wall):      | 1/2" Plywood  | Wall Cabinet Bottoms Finished (Exterior): | No - Top And Bottom Are Unfinished Plywood   |
| Bottom (Base):            | 1/2" Plywood  | CARB Compliant:                           | Yes  |
| Back Panel:               | 1/2" Plywood (Sink Base/Vanity Cabinets - except vanity drawer bases - do not have back panels but do have hanging rails) | Door Hinges:                              | Pre-Drilled To The Right - Wall Cabinets Can Be Flipped, Base Cabinets Will Have To Have The Hinges Moved To The Opposite Side. Holes Can Be Filled If Preferred, But They Will Only Be Visible When The Door Is Open.   |
| Shelves:                  | 5/8" Thick Plywood, Adjustable with Metal Shelf Rests   | Toe Kicks Included w/Base Cabinets:       | Yes  |
| Base Cabinet Shelf Depth: | 1/2   | Sides Panels Finished:                    | Yes  |
| Drawer Box:               | Dovetail, 1/2" Thick Solid Wood Sides, 3/8" Plywood Bottoms   | Installation Note:                        | For this full overlay door style, if a cabinet is being installed against a wall, a 1/2" clearance is recommended between the wall and side of the cabinet to allow the door to open properly. Scribe molding can usually be used for very narrow spaces, however, only choose that option if the design doesn't allow for a 1/2" clearance. |
| Drawer Glides:            | Full Extension, Undermounted, Soft Close, Steel Concealed Drawer Glides   |   |  |
| Base Corner Supports:     | Metal Bracket Reinforcements for Base Cabinets  |   |  |
| Overlay:                  | Full  |   |  |
| Hinges:                   | Soft Close, 4-6 Way Adjustable European Concealed Metal Hinges  |   |  |