



Brilliant White Shaker

Shipping Time:	Ships in 3-7 business days	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Style:	Shaker	Center Stile:	None (unless listed in the cabinet description)
Face Frame:	3/4" x 1-3/4" Birch	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Frame:	3/4" Solid Birch		
Door Center:	Premium MDF (MDF is used to avoid cracking/warping)	Finish:	7 step, acid-catalyzed finish process with a UV coating
Sides:	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade Plywood	Installation Rail:	None
Bottom (Base):	1/2" A-Grade Plywood	Wall Cabinet Bottoms Finished (Exterior):	Yes
Back Panel:	1/2" A-Grade Plywood Full Back	CARB Compliant:	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Sides Panels Finished:	Yes
Drawer Glides:	Undermount, Full Extension, Soft Close Glides		
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		
Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges		



Providence White

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Recessed Square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish
Door Center:	MDF (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer		
Base Cabinet Shelf Depth:	1/2		
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Toe Kicks Included w/Base Cabinets:	Yes
Drawer Glides:	Undermount, full extension with soft closing feature	Sides Panels Finished:	Yes
Base Corner Supports:	Wood corner brackets with wood I-beam construction	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		



Dakota White

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish
Door Center:	MDF (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Undermount, full extension with soft closing feature		
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		



Aspen White Shaker

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Shaker	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	MDF (MDF is used to avoid cracking/warping)	Finish:	Polyurethane Finish
Door Center:	MDF (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer		
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Sides Panels Finished:	Yes
Drawer Glides:	Undermount, full extension with soft closing feature	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		



Lakewood White

Shipping Time:	Ships in 3-7 business days	Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges
Style:	Raised	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	Premium HDF (HDF is used to avoid cracking/warping)	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Center:	Premium HDF (HDF is used to avoid cracking/warping)		
Sides:	1/2" A-Grade Plywood	Finish:	7 step, acid-catalyzed finish process with a UV coating
Top & Bottom (Wall):	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Bottom (Base):	1/2" A-Grade Plywood	Installation Rail:	None
Back Panel:	1/2" A-Grade Plywood Full Back	Wall Cabinet Bottoms Finished (Exterior):	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	CARB Compliant:	Yes
Base Cabinet Shelf Depth:	1/2	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.
Drawer Glides:	Undermount, Full Extension, Soft Close Glides	Sides Panels Finished:	Yes
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		



Charlotte White

Shipping Time:	Ships in 5-15 business days	Hinges:	Soft-close
Style:	Recessed	Cabinet Interior:	Clear coated natural maple interior
Face Frame:	3/4" x 1-1/2" Solid Wood	Center Stile:	None
Door Frame:	Solid Maple	Assembly Method:	Nail/Screw/Glue
Door Center:	MDF (MDF is used to avoid cracking/warping)	Finish:	Oil based finish
Sides:	1/2" Plywood	Toe Kick:	1/2" thick, edge banded
Top & Bottom (Wall):	1/2" Plywood	Installation Rail:	3/4" thick x 1-1/2" wide
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	3" wide x 3/4" thick picture frame back with 1/4" plywood center	Door Hinges:	Doors can be flipped for a left or right assembly
Shelves:	3/4" plywood, adjustable, metal shelf rests	Sides Panels Finished:	Yes
Base Cabinet Shelf Depth:	18"		
Drawer Box:	Dovetail drawer boxes, 1/2" thick solid wood side panels		
Drawer Glides:	Full extension, soft closing, undermount glides		
Base Corner Supports:	Metal bracket reinforced corners		
Overlay:	Full		



Arctic White Shaker

Shipping Time:	Ships in 3-7 business days	Hinges:	6-way Adjustable, Concealed European Hinges (soft close upgrade available)
Style:	Shaker	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	HDF (HDF is used to avoid cracking/warping)	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Center:	HDF (HDF is used to avoid cracking/warping)		
Sides:	1/2" A-Grade Plywood	Finish:	7 step, acid-catalyzed finish process with a UV coating and brushed glaze
Top & Bottom (Wall):	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Bottom (Base):	1/2" A-Grade Plywood	Installation Rail:	None
Back Panel:	1/2" A-Grade Plywood Full Back	Wall Cabinet Bottoms Finished (Exterior):	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	CARB Compliant:	Yes
Base Cabinet Shelf Depth:	1/2	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Toe Kicks Included w/Base Cabinets:	Yes, but the SS-TKC (8' toe kick) is needed for all base cabinets to cover the unfinished sides since the included toe kick fits in between the plywood side panels
Drawer Glides:	Undermount, Epoxy Drawer Glides	Sides Panels Finished:	Yes
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		



Southport White Shaker

Shipping Time:	Ships in 5-15 business days	Hinges:	Soft-close
Style:	Shaker	Cabinet Interior:	Clear coated natural maple interior
Face Frame:	3/4" x 1-1/2" Solid Wood	Center Stile:	None
Door Frame:	Solid Maple	Assembly Method:	Nail/Screw/Glue
Door Center:	MDF (MDF is used to avoid cracking/warping)	Finish:	Oil based finish
Sides:	1/2" Plywood	Toe Kick:	1/2" thick, edge banded
Top & Bottom (Wall):	1/2" Plywood	Installation Rail:	3/4" thick x 1-1/2" wide
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	3" wide x 3/4" thick picture frame back with 1/4" plywood center	Door Hinges:	Doors can be flipped for a left or right assembly
Shelves:	3/4" plywood, adjustable, metal shelf rests	Sides Panels Finished:	Yes
Base Cabinet Shelf Depth:	18"	Design Note:	Scribe needs to be used for a wall cabinet against a wall or deeper cabinet/appliance. For base cabinets, leave use at least 3/4" to a 1" filler if base molding is being used, if not, then scribe is sufficient
Drawer Box:	Dovetail drawer boxes, 1/2" thick solid wood side panels		
Drawer Glides:	Full extension, soft closing, undermount glides		
Base Corner Supports:	Metal bracket reinforced corners		
Overlay:	Full		



Regency White

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square (5pc recessed drawer header)	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	MDF (MDF is used to avoid cracking/warping)	Finish:	Polyurethane Finish with Glaze (Except KT)
Door Center:	MDF (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer		
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes
Drawer Box:	Solid Wood 3/5" sides, Drawer bottom 1/2" plywood, Drawer length 21, Dovetail construction, Natural finish.	Sides Panels Finished:	Yes
Drawer Glides:	Epoxy coated metal undermount	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Base Corner Supports:	Plastic corner brackets		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable		



Signature Vanilla Glaze

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish with Glaze
Door Center:	MDF (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer		
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Sides Panels Finished:	Yes
Drawer Glides:	Undermount, full extension with soft closing feature	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		



Linen Shaker

Shipping Time:	Ships in 3-7 business days	Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges
Style:	Shaker	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	Premium HDF (HDF is used to avoid cracking/warping)	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Center:	Premium HDF (HDF is used to avoid cracking/warping)		
Sides:	1/2" A-Grade Plywood	Finish:	7 step, acid-catalyzed finish process with a UV coating
Top & Bottom (Wall):	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Bottom (Base):	1/2" A-Grade Plywood	Installation Rail:	None
Back Panel:	1/2" A-Grade Plywood Full Back	Wall Cabinet Bottoms Finished (Exterior):	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	CARB Compliant:	Yes
Base Cabinet Shelf Depth:	1/2	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.
Drawer Glides:	Undermount, Full Extension, Soft Close Glides	Sides Panels Finished:	Yes
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		



French Vanilla Glaze

Shipping Time:	Ships in 5-15 business days	Cabinet Interior:	Natural Maple (Glass Door Cabinets will have matching interiors)
Style:	Raised Panel	Center Stile:	None
Face Frame:	3/4" Solid Maple	Assembly Method:	Staple/Nail/Glue
Door Frame:	3/4" Solid Maple	Finish:	Hand Applied Stain and Glaze
Door Center:	Solid Maple	Toe Kick:	1/2" Solid Maple
Sides:	1/2"Plywood	Installation Rail:	None
Top & Bottom (Wall):	1/2" Plywood	Wall Cabinet Bottoms Finished (Exterior):	No - Top And Bottom Are Unfinished Plywood
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	1/2" Plywood (Sink Base/Vanity Cabinets - except vanity drawer bases - do not have back panels but do have hanging rails)	Door Hinges:	Pre-Drilled To The Right - Wall Cabinets Can Be Flipped, Base Cabinets Will Have To Have The Hinges Moved To The Opposite Side. Holes Can Be Filled If Preferred, But They Will Only Be Visible When The Door Is Open.
Shelves:	5/8" Thick Plywood, Adjustable with Metal Shelf Rests	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Dovetail, 1/2" Thick Solid Wood Sides, 3/8" Plywood Bottoms	Installation Note:	For this full overlay door style, if a cabinet is being installed against a wall, a 1/2" clearance is recommended between the wall and side of the cabinet to allow the door to open properly. Scribe molding can usually be used for very narrow spaces, however, only choose that option if the design doesn't allow for a 1/2" clearance.
Drawer Glides:	Full Extension, Undermounted, Soft Close, Steel Concealed Drawer Glides		
Base Corner Supports:	Metal Bracket Reinforcements for Base Cabinets		
Overlay:	Full		
Hinges:	Soft Close, 4-6 Way Adjustable European Concealed Metal Hinges		



Casselton Ivory

Shipping Time:	Ships in 5-15 business days	Hinges:	Soft-close
Style:	Raised	Cabinet Interior:	Clear coated natural maple interior
Face Frame:	3/4" x 1-1/2" Solid Wood	Center Stile:	None
Door Frame:	Solid Maple	Assembly Method:	Nail/Screw/Glue
Door Center:	MDF (MDF is used to avoid cracking/warping)	Finish:	Oil based finish
Sides:	1/2" Plywood	Toe Kick:	1/2" thick, edge banded
Top & Bottom (Wall):	1/2" Plywood	Installation Rail:	3/4" thick x 1-1/2" wide
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	3" wide x 3/4" thick picture frame back with 1/4" plywood center	Door Hinges:	Doors can be flipped for a left or right assembly
Shelves:	3/4" plywood, adjustable, metal shelf rests	Sides Panels Finished:	Yes
Base Cabinet Shelf Depth:	18"	Design Note:	Scribe needs to be used for a wall cabinet against a wall or deeper cabinet/appliance. For base cabinets, leave use at least 3/4" to a 1" filler if base molding is being used, if not, then scribe is sufficient
Drawer Box:	Dovetail drawer boxes, 1/2" thick solid wood side panels		
Drawer Glides:	Full extension, soft closing, undermount glides		
Base Corner Supports:	Metal bracket reinforced corners		
Overlay:	Full		



Phoenix Cream Glaze

Shipping Time:	Ships in 5-15 business days	Hinges:	Soft-close
Style:	Raised	Cabinet Interior:	Clear coated natural maple interior
Face Frame:	3/4" x 1-1/2" Solid Wood	Center Stile:	None
Door Frame:	Solid Maple	Assembly Method:	Nail/Screw/Glue
Door Center:	MDF (MDF is used to avoid cracking/warping)	Finish:	Oil based finish
Sides:	1/2" Plywood	Toe Kick:	1/2" thick, edge banded
Top & Bottom (Wall):	1/2" Plywood	Installation Rail:	3/4" thick x 1-1/2" wide
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	3" wide x 3/4" thick picture frame back with 1/4" plywood center	Door Hinges:	Doors can be flipped for a left or right assembly
Shelves:	3/4" plywood, adjustable, metal shelf rests	Sides Panels Finished:	Yes
Base Cabinet Shelf Depth:	18"	Design Note:	Scribe needs to be used for a wall cabinet against a wall or deeper cabinet/appliance. For base cabinets, leave use at least 3/4" to a 1" filler if base molding is being used, if not, then scribe is sufficient
Drawer Box:	Dovetail drawer boxes, 1/2" thick solid wood side panels		
Drawer Glides:	Full extension, soft closing, undermount glides		
Base Corner Supports:	Metal bracket reinforced corners		
Overlay:	Full		



Cambridge Antique White Glaze

Shipping Time:	Ships in 3-7 business days	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Style:	Raised Square	Center Stile:	None (unless listed in the cabinet description)
Face Frame:	3/4" x 1-3/4" Birch	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Frame:	3/4" Solid Birch, Mitered Doors	Finish:	7 step, acid-catalyzed finish process with a UV coating and brushed glaze
Door Center:	Premium MDF (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade Plywood	Installation Rail:	None
Top & Bottom (Wall):	1/2" A-Grade Plywood	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade Plywood	CARB Compliant:	Yes
Back Panel:	1/2" A-Grade Plywood Full Back	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Shelves:	Adjustable 3/4" w/Front Edge Banding	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8" toe kick) is needed if cabinets are next to each other.
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction		
Drawer Glides:	Undermount, Full Extension, Soft Close Glides		
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		
Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges		



Brantley Antique White Glaze

Shipping Time:	Ships in 3-7 business days	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Style:	Recessed Panel	Center Stile:	None (unless listed in the cabinet description)
Face Frame:	3/4" x 1-3/4" Birch	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Frame:	3/4" Solid Birch, Mitered Doors	Finish:	7 step, acid-catalyzed finish process with a UV coating and brushed glaze
Door Center:	Premium MDF (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade Plywood	Installation Rail:	None
Top & Bottom (Wall):	1/2" A-Grade Plywood	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade Plywood	CARB Compliant:	Yes
Back Panel:	1/2" A-Grade Plywood Full Back	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Shelves:	Adjustable 3/4" w/Front Edge Banding	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction		
Drawer Glides:	Undermount, Full Extension, Soft Close Glides		
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		
Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges		



Lakewood Stone

Shipping Time:	Ships in 3-7 business days	Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges
Style:	Raised	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	Premium HDF (HDF is used to avoid cracking/warping)	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Center:	Premium HDF (HDF is used to avoid cracking/warping)		
Sides:	1/2" A-Grade Plywood	Finish:	7 step, acid-catalyzed finish process with a UV coating
Top & Bottom (Wall):	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Bottom (Base):	1/2" A-Grade Plywood	Installation Rail:	None
Back Panel:	1/2" A-Grade Plywood Full Back	Wall Cabinet Bottoms Finished (Exterior):	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	CARB Compliant:	Yes
Base Cabinet Shelf Depth:	1/2	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.
Drawer Glides:	Undermount, Full Extension, Soft Close Glides	Sides Panels Finished:	Yes
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		



Stone Shaker

Shipping Time:	Ships in 3-7 business days	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Style:	Shaker	Center Stile:	None (unless listed in the cabinet description)
Face Frame:	3/4" x 1-3/4" Birch	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Frame:	3/4" HDF (HDF is used to avoid cracking/warping)		
Door Center:	HDF (HDF is used to avoid cracking/warping)	Finish:	7 step, acid-catalyzed finish process with a UV coating
Sides:	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade Plywood	Installation Rail:	None
Bottom (Base):	1/2" A-Grade Plywood	Wall Cabinet Bottoms Finished (Exterior):	Yes
Back Panel:	1/2" A-Grade Plywood Full Back	CARB Compliant:	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8" toe kick) is needed if cabinets are next to each other.
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Sides Panels Finished:	Yes
Drawer Glides:	Undermount, Full Extension, Soft Close Glides	Installation/Designer Note:	Cabinet specs are subject to change without notice. *Cabinet measurements are typically converted from metric to inches and manufacturers will commonly round up to the nearest 1/4 inch. This can cause a measurement to be off by a fraction of an inch (less than 1/4") which is within normal industry standards*
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		
Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges		



Charlotte Grey

Shipping Time:	Ships in 5-15 business days	Hinges:	Soft-close
Style:	Recessed	Cabinet Interior:	Clear coated natural maple interior
Face Frame:	3/4" x 1-1/2" Solid Wood	Center Stile:	None
Door Frame:	Solid Maple	Assembly Method:	Nail/Screw/Glue
Door Center:	MDF (MDF is used to avoid cracking/warping)	Finish:	Oil based finish
Sides:	1/2" Plywood	Toe Kick:	1/2" thick, edge banded
Top & Bottom (Wall):	1/2" Plywood	Installation Rail:	3/4" thick x 1-1/2" wide
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	3" wide x 3/4" thick picture frame back with 1/4" plywood center	Door Hinges:	Doors can be flipped for a left or right assembly
Shelves:	3/4" plywood, adjustable, metal shelf rests	Sides Panels Finished:	Yes
Base Cabinet Shelf Depth:	18"		
Drawer Box:	Dovetail drawer boxes, 1/2" thick solid wood side panels		
Drawer Glides:	Full extension, soft closing, undermount glides		
Base Corner Supports:	Metal bracket reinforced corners		
Overlay:	Full		



Heather Grey Shaker

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Shaker	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Eucalyptus Grandis	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Eucalyptus Grandis	Finish:	Waterborne UV Finish
Door Center:	13/16" Solid Eucalyptus Grandis	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	Wall Cabinets: 1/2" Picture Frame recess style. Most Base Cabinets: 1/2" FULL Back (some base cabinets will have a picture frame recessed back)	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Undermount, full extension with soft closing feature		
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		



Graphite Grey Shaker

Shipping Time:	Ships in 3-7 business days	Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges
Style:	Shaker	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	3/4" Solid Birch	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Center:	Premium MDF (MDF is used to avoid cracking/warping)	Finish:	7 step, acid-catalyzed finish process with a UV coating
Sides:	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade Plywood	Installation Rail:	None
Bottom (Base):	1/2" A-Grade Plywood	Wall Cabinet Bottoms Finished (Exterior):	Yes
Back Panel:	1/2" A-Grade Plywood Full Back	CARB Compliant:	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Sides Panels Finished:	Yes
Drawer Glides:	Undermount, Full Extension, Soft Close Glides		
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		



Charcoal Grey Shaker

Shipping Time:	Ships in 3-7 business days	Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges
Style:	Shaker	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Face Frame:	3/4" x 1-3/4" Birch	Center Stile:	None (unless listed in the cabinet description)
Door Frame:	3/4" Solid Birch	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Center:	Premium MDF (MDF is used to avoid cracking/warping)	Finish:	7 step, acid-catalyzed finish process with a UV coating
Sides:	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade Plywood	Installation Rail:	None
Bottom (Base):	1/2" A-Grade Plywood	Wall Cabinet Bottoms Finished (Exterior):	Yes
Back Panel:	1/2" A-Grade Plywood Full Back	CARB Compliant:	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8" toe kick) is needed if cabinets are next to each other.
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Sides Panels Finished:	Yes
Drawer Glides:	Undermount, Full Extension, Soft Close Glides		
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		



Natural Grey Shaker

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Shaker	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Maple	Finish:	Waterborne UV Finish
Door Center:	MDF (MDF is used to avoid cracking/warping) with a maple veneer	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Undermount, full extension with soft closing feature		
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		



Providence Natural Grey

Shipping Time:	This finish ships in 5-15 business days	Hinges:	Concealed 6-way adjustable with Soft Closing Feature
Style:	Recessed	Cabinet Interior:	Matches door finish
Face Frame:	3/4" Solid Birch	Center Stile:	No center stile on cabinetry 24"W to 36"W
Door Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Center:	MDF w/Maple Veneer (MDF is used to avoid cracking/warping)	Finish:	Waterborne UV Finish
Sides:	1/2" A-Grade plywood with wood veneer	Toe Kick:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Bottom (Base):	3/8" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Back Panel:	1/2" Picture Frame recess style	CARB Compliant:	Yes
Shelves:	3/4" A-Grade plywood with wood veneer	Door Hinges:	Hinged To The Right By Default. Please Use Drop Down Options For Each Cabinet To Change Hinging From Right To Left
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Sides Panels Finished:	Yes
Drawer Glides:	Undermount, full extension with soft closing feature	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with Butt doors		



Providence Slate Grey

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Recessed square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Eucalyptus Grandis	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Eucalyptus Grandis	Finish:	Waterborne UV Finish
Door Center:	1/2" Solid Eucalyptus Grandis	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	Wall Cabinets: 1/2" Picture Frame recess style. Most Base Cabinets: 1/2" FULL Back (some base cabinets will have a picture frame recessed back)	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Undermount, full extension with soft closing feature		
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		



Harvest Oak

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square (5 piece decor header)	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Wood	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Oak	Finish:	Polyurethane Finish
Door Center:	MDF with Oak Veneer (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer		
Base Cabinet Shelf Depth:	1/2		
Drawer Box:	Solid Wood 3/5" sides, Drawer bottom 1/2" plywood, Drawer length 21". Rabbet joint construction, Natural Oak finish.	Toe Kicks Included w/Base Cabinets:	Yes
Drawer Glides:	Epoxy coated metal side mount	Sides Panels Finished:	Yes
Base Corner Supports:	Plastic corner brackets	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Overlay:	Full with butt doors		
Hinges:	Concealed 6-way adjustable		



Shaker Honey

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Shaker	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish from Sherwin Williams
Door Center:	MDF with Birch Veneer (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Undermount, full extension with soft closing feature		
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		



Regency Spiced Glaze

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square (5pc recessed drawer header)	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Polyurethane Finish with Glaze (Except KT)
Door Center:	MDF with Birch Veneer (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 3/5" sides, Drawer bottom 1/2" plywood, Drawer length 21, Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Epoxy coated metal undermount		
Base Corner Supports:	Plastic corner brackets		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable		



Lexington Cinnamon Glaze

Shipping Time:	Ships in 5-15 business days	Hinges:	Soft-close
Style:	Raised	Cabinet Interior:	Clear coated natural maple interior
Face Frame:	3/4" x 1-1/2" Solid Wood	Center Stile:	None
Door Frame:	Solid Maple	Assembly Method:	Nail/Screw/Glue
Door Center:	Solid Maple	Finish:	Oil based finish
Sides:	1/2" Plywood	Toe Kick:	1/2" thick, edge banded
Top & Bottom (Wall):	1/2" Plywood	Installation Rail:	3/4" thick x 1-1/2" wide
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	3" wide x 3/4" thick picture frame back with 1/4" plywood center	Door Hinges:	Doors can be flipped for a left or right assembly
Shelves:	3/4" plywood, adjustable, metal shelf rests	Sides Panels Finished:	Yes
Base Cabinet Shelf Depth:	18"	Design Note:	Scribe needs to be used for a wall cabinet against a wall or deeper cabinet/appliance. For base cabinets, leave use at least 3/4" to a 1" filler if base molding is being used, if not, then scribe is sufficient
Drawer Box:	Dovetail drawer boxes, 1/2" thick solid wood side panels		
Drawer Glides:	Full extension, soft closing, undermount glides		
Base Corner Supports:	Metal bracket reinforced corners		
Overlay:	Full		



Cafe Mocha Glaze

Shipping Time:	Ships in 5-15 business days	Cabinet Interior:	Natural Maple (Glass Door Cabinets will have matching interiors)
Style:	Raised Panel	Center Stile:	None
Face Frame:	3/4" Solid Maple	Assembly Method:	Staple/Nail/Glue
Door Frame:	3/4" Solid Maple	Finish:	Hand Applied Stain and Glaze
Door Center:	Solid Maple	Toe Kick:	1/2" Solid Maple
Sides:	1/2" Plywood	Installation Rail:	None
Top & Bottom (Wall):	1/2" Plywood	Wall Cabinet Bottoms Finished (Exterior):	No - Top And Bottom Are Unfinished Plywood
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	1/2" Plywood (Sink Base/Vanity Cabinets - except vanity drawer bases - do not have back panels but do have hanging rails)	Door Hinges:	Pre-Drilled To The Right - Wall Cabinets Can Be Flipped, Base Cabinets Will Have To Have The Hinges Moved To The Opposite Side. Holes Can Be Filled If Preferred, But They Will Only Be Visible When The Door Is Open.
Shelves:	5/8" Thick Plywood, Adjustable with Metal Shelf Rests	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Dovetail, 1/2" Thick Solid Wood Sides, 3/8" Plywood Bottoms	Installation Note:	For this full overlay door style, if a cabinet is being installed against a wall, a 1/2" clearance is recommended between the wall and side of the cabinet to allow the door to open properly. Scribe molding can usually be used for very narrow spaces, however, only choose that option if the design doesn't allow for a 1/2" clearance.
Drawer Glides:	Full Extension, Undermounted, Soft Close, Steel Concealed Drawer Glides		
Base Corner Supports:	Metal Bracket Reinforcements for Base Cabinets		
Overlay:	Full		
Hinges:	Soft Close, 4-6 Way Adjustable European Concealed Metal Hinges		



Phoenix Caramel Glaze

Shipping Time:	Ships in 5-15 business days	Hinges:	Soft-close
Style:	Raised	Cabinet Interior:	Clear coated natural maple interior
Face Frame:	3/4" x 1-1/2" Solid Wood	Center Stile:	None
Door Frame:	Solid Maple	Assembly Method:	Nail/Screw/Glue
Door Center:	Solid Maple	Finish:	Oil based finish
Sides:	1/2" Plywood	Toe Kick:	1/2" thick, edge banded
Top & Bottom (Wall):	1/2" Plywood	Installation Rail:	3/4" thick x 1-1/2" wide
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	3" wide x 3/4" thick picture frame back with 1/4" plywood center	Door Hinges:	Doors can be flipped for a left or right assembly
Shelves:	3/4" plywood, adjustable, metal shelf rests	Sides Panels Finished:	Yes
Base Cabinet Shelf Depth:	18"	Design Note:	Scribe needs to be used for a wall cabinet against a wall or deeper cabinet/appliance. For base cabinets, leave use at least 3/4" to a 1" filler if base molding is being used, if not, then scribe is sufficient
Drawer Box:	Dovetail drawer boxes, 1/2" thick solid wood side panels		
Drawer Glides:	Full extension, soft closing, undermount glides		
Base Corner Supports:	Metal bracket reinforced corners		
Overlay:	Full		



Nutmeg Twist

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish from Sherwin Williams with Glaze
Door Center:	Solid Birch	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Undermount, full extension with soft closing feature		
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		



Newberry Merlot

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish from Sherwin Williams with Glaze
Door Center:	Solid Birch	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	Full back on bases (3/4" plywood)	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer		
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Sides Panels Finished:	Yes
Drawer Glides:	Undermount, full extension with soft closing feature	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		



Cayenne Cognac

Shipping Time:	Ships in 5-15 business days	Cabinet Interior:	Natural Maple (Glass Door Cabinets will have matching interiors)
Style:	Raised Panel	Center Stile:	None
Face Frame:	3/4" Solid Maple	Assembly Method:	Staple/Nail/Glue
Door Frame:	3/4" Solid Maple	Finish:	Hand Applied Stain and Glaze
Door Center:	Solid Maple	Toe Kick:	1/2" Solid Maple
Sides:	1/2" Plywood	Installation Rail:	None
Top & Bottom (Wall):	1/2" Plywood	Wall Cabinet Bottoms Finished (Exterior):	No - Top And Bottom Are Unfinished Plywood
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	1/2" Plywood (Sink Base/Vanity Cabinets - except vanity drawer bases - do not have back panels but do have hanging rails)	Door Hinges:	Pre-Drilled To The Right - Wall Cabinets Can Be Flipped, Base Cabinets Will Have To Have The Hinges Moved To The Opposite Side. Holes Can Be Filled If Preferred, But They Will Only Be Visible When The Door Is Open.
Shelves:	5/8" Thick Plywood, Adjustable with Metal Shelf Rests	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Dovetail, 1/2" Thick Solid Wood Sides, 3/8" Plywood Bottoms	Installation Note:	For this full overlay door style, if a cabinet is being installed against a wall, a 1/2" clearance is recommended between the wall and side of the cabinet to allow the door to open properly. Scribe molding can usually be used for very narrow spaces, however, only choose that option if the design doesn't allow for a 1/2" clearance.
Drawer Glides:	Full Extension, Undermounted, Soft Close, Steel Concealed Drawer Glides		
Base Corner Supports:	Metal Bracket Reinforcements for Base Cabinets		
Overlay:	Full		
Hinges:	Soft Close, 4-6 Way Adjustable European Concealed Metal Hinges		



Regency Pomegranate Glaze

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square (5pc recessed drawer header)	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Polyurethane Finish with Glaze (Except KT)
Door Center:	MDF with Birch Veneer (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer		
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes
Drawer Box:	Solid Wood 3/5" sides, Drawer bottom 1/2" plywood, Drawer length 21, Dovetail construction, Natural finish.	Sides Panels Finished:	Yes
Drawer Glides:	Epoxy coated metal undermount	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Base Corner Supports:	Plastic corner brackets		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable		



Brantley Chocolate Glaze

Shipping Time:	Ships in 3-7 business days	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Style:	Recessed Panel	Center Stile:	None (unless listed in the cabinet description)
Face Frame:	3/4" x 1-3/4" Birch	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Frame:	3/4" Solid Birch, Mitered Doors	Finish:	7 step, acid-catalyzed finish process with a UV coating and brushed glaze
Door Center:	Veneered MDF (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade Plywood	Installation Rail:	None
Top & Bottom (Wall):	1/2" A-Grade Plywood	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade Plywood	CARB Compliant:	Yes
Back Panel:	1/2" Plywood Full Back	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Shelves:	Adjustable 3/4" w/Front Edge Banding	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction		
Drawer Glides:	Undermount, Full Extension, Soft Close Glides		
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		
Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges		



Cambridge Saddle Glaze

Shipping Time:	Ships in 3-7 business days	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Style:	Raised Square	Center Stile:	None (unless listed in the cabinet description)
Face Frame:	3/4" x 1-3/4" Birch	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Frame:	3/4" Solid Birch, Mitered Doors	Finish:	7 step, acid-catalyzed finish process with a UV coating and brushed glaze
Door Center:	Solid Birch	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade Plywood	Installation Rail:	None
Top & Bottom (Wall):	1/2" A-Grade Plywood	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade Plywood	CARB Compliant:	Yes
Back Panel:	1/2" A-Grade Plywood Full Back	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Shelves:	Adjustable 3/4" w/Front Edge Banding	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction		
Drawer Glides:	Undermount, Full Extension, Soft Close Glides		
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		
Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges		



Signature Chocolate

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish from Sherwin Williams with Glaze
Door Center:	Solid Birch	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Drawer Glides:	Undermount, full extension with soft closing feature		
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable with Soft Closing Feature		



Regency Espresso

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Raised Square (5pc recessed drawer header)	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Polyurethane Finish with Glaze (Except KT)
Door Center:	MDF with Birch Veneer (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer		
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes
Drawer Box:	Solid Wood 3/5" sides, Drawer bottom 1/2" plywood, Drawer length 21, Dovetail construction, Natural finish.	Sides Panels Finished:	Yes
Drawer Glides:	Epoxy coated metal undermount	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Base Corner Supports:	Plastic corner brackets		
Overlay:	Full with Butt doors		
Hinges:	Concealed 6-way adjustable		



Coffee Shaker

Shipping Time:	Ships in 3-7 business days	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Style:	Shaker	Center Stile:	None (unless listed in the cabinet description)
Face Frame:	3/4" x 1-3/4" Birch	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Frame:	3/4" Solid Birch		
Door Center:	Solid Birch	Finish:	7 step, acid-catalyzed finish process with a UV coating
Sides:	1/2" A-Grade Plywood	Toe Kick:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade Plywood	Installation Rail:	None
Bottom (Base):	1/2" A-Grade Plywood	Wall Cabinet Bottoms Finished (Exterior):	Yes
Back Panel:	1/2" A-Grade Plywood Full Back	CARB Compliant:	Yes
Shelves:	Adjustable 3/4" w/Front Edge Banding	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes, but there will be a small gap when two cabinets are side by side, so the TKC (8' toe kick) is needed if cabinets are next to each other.
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction	Sides Panels Finished:	Yes
Drawer Glides:	Undermount, Full Extension, Soft Close Glides		
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		
Hinges:	6-way Adjustable, Concealed, European Soft Close Hinges		



Dark Chocolate Shaker

Shipping Time:	Ships in 3-7 business days	Cabinet Interior:	UV Coated Natural Interior (Prepped-for-glass cabinets will be finished to match the cabinet fronts)
Style:	Shaker	Center Stile:	None (unless listed in the cabinet description)
Face Frame:	3/4" x 1-3/4" Birch	Assembly Method:	Metal Clip or Glue & Staple: Cabinets come with Metal Clips (Cleats - not already installed on the cabinets) that can be used to assemble or the cabinets can be Glued and Stapled. If Staple & Glued, clips will not be used
Door Frame:	3/4" Solid Birch, Mortise & Tenon Doors	Finish:	7 step, acid-catalyzed finish process with a UV coating and brushed glaze
Door Center:	Veneered MDF Center Panel (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade Plywood	Installation Rail:	None
Top & Bottom (Wall):	1/2" A-Grade Plywood	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	1/2" A-Grade Plywood	CARB Compliant:	Yes
Back Panel:	1/2" A-Grade Plywood Full Back	Door Hinges:	Doors come pre-drilled for the hinges, the face frame has marks where to drill and the customer chooses Right or Left during assembly.
Shelves:	Adjustable 3/4" w/Front Edge Banding	Toe Kicks Included w/Base Cabinets:	Yes, but the SM-TKC (8' toe kick) is needed for all base cabinets to cover the unfinished sides since the included toe kick fits in between the plywood side panels
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	5/8" solid hardwood, dovetailed drawer box, 5/16" Plywood Drawer Box Bottom, 5-Piece drawer front construction		
Drawer Glides:	Undermount, Epoxy Drawer Glides		
Base Corner Supports:	3/4" Solid Wood Corner Blocks		
Overlay:	Full		
Hinges:	6-way Adjustable, Concealed European Hinges (soft close upgrade available)		



Brazilian Shaker

Shipping Time:	This finish ships in 5-15 business days	Cabinet Interior:	Matches door finish
Style:	Shaker	Center Stile:	No center stile on cabinetry 24"W to 36"W
Face Frame:	3/4" Solid Birch	Assembly Method:	Steel Clip
Door Frame:	3/4" Solid Birch	Finish:	Waterborne UV Finish from Sherwin Williams
Door Center:	MDF with Birch Veneer (MDF is used to avoid cracking/warping)	Toe Kick:	1/2" Plywood
Sides:	1/2" A-Grade plywood with wood veneer	Installation Rail:	1/2" Plywood
Top & Bottom (Wall):	1/2" A-Grade plywood with wood veneer	Wall Cabinet Bottoms Finished (Exterior):	Yes
Bottom (Base):	3/8" A-Grade plywood with wood veneer	CARB Compliant:	Yes
Back Panel:	1/2" Picture Frame recess style	Door Hinges:	Hinged To The Right By Default. For Wall Cabinets The Face Frame Can Be Flipped. For Base Cabinets Unhinge The Door, Flip It, Screw Holes On The Opposite Side To Re-Hinge, And Then Fill The Original Holes (Touch Up Kit Can Be Purchased For This)
Shelves:	3/4 " A-Grade plywood with wood veneer		
Base Cabinet Shelf Depth:	1/2	Toe Kicks Included w/Base Cabinets:	Yes
Drawer Box:	Solid Wood 17mm (close to 3/4") sides, Drawer bottom 1/2" plywood, Drawer length 21". Dovetail construction, Natural finish.	Sides Panels Finished:	Yes
Drawer Glides:	Undermount, full extension with soft closing feature	Installation Note:	For this full overlay door style, if a cabinet side is being installed against a wall, a narrow clearance may be necessary, depending on the decorative hardware that is being used, to make sure the cabinet door opens properly.
Base Corner Supports:	Wood corner brackets with wood I-beam construction		
Overlay:	Full with butt doors		



Southport Espresso Shaker

Shipping Time:	Ships in 5-15 business days	Hinges:	Soft-close
Style:	Shaker	Cabinet Interior:	Clear coated natural maple interior
Face Frame:	3/4" x 1-1/2" Solid Wood	Center Stile:	None
Door Frame:	Solid Maple	Assembly Method:	Nail/Screw/Glue
Door Center:	Solid Maple	Finish:	Oil based finish
Sides:	1/2" Plywood	Toe Kick:	1/2" thick, edge banded
Top & Bottom (Wall):	1/2" Plywood	Installation Rail:	3/4" thick x 1-1/2" wide
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	3" wide x 3/4" thick picture frame back with 1/4" plywood center	Door Hinges:	Doors can be flipped for a left or right assembly
Shelves:	3/4" plywood, adjustable, metal shelf rests	Sides Panels Finished:	Yes
Base Cabinet Shelf Depth:	18"	Design Note:	Scribe needs to be used for a wall cabinet against a wall or deeper cabinet/appliance. For base cabinets, leave use at least 3/4" to a 1" filler if base molding is being used, if not, then scribe is sufficient
Drawer Box:	Dovetail drawer boxes, 1/2" thick solid wood side panels		
Drawer Glides:	Full extension, soft closing, undermount glides		
Base Corner Supports:	Metal bracket reinforced corners		
Overlay:	Full		



Espresso Bean

Shipping Time:	Ships in 5-15 business days	Cabinet Interior:	Natural Maple (Glass Door Cabinets will have matching interiors)
Style:	Flat Panel with Decorative Groove	Center Stile:	None
Face Frame:	3/4" Solid Maple	Assembly Method:	Staple/Nail/Glue
Door Frame:	3/4" Solid Maple	Finish:	Hand Applied Stain and Glaze
Door Center:	Solid Maple	Toe Kick:	1/2" Solid Maple
Sides:	1/2" Plywood	Installation Rail:	None
Top & Bottom (Wall):	1/2" Plywood	Wall Cabinet Bottoms Finished (Exterior):	No - Top And Bottom Are Unfinished Plywood
Bottom (Base):	1/2" Plywood	CARB Compliant:	Yes
Back Panel:	1/2" Plywood (Sink Base/Vanity Cabinets - except vanity drawer bases - do not have back panels but do have hanging rails)	Door Hinges:	Pre-Drilled To The Right - Wall Cabinets Can Be Flipped, Base Cabinets Will Have To Have The Hinges Moved To The Opposite Side. Holes Can Be Filled If Preferred, But They Will Only Be Visible When The Door Is Open.
Shelves:	5/8" Thick Plywood, Adjustable with Metal Shelf Rests	Toe Kicks Included w/Base Cabinets:	Yes
Base Cabinet Shelf Depth:	1/2	Sides Panels Finished:	Yes
Drawer Box:	Dovetail, 1/2" Thick Solid Wood Sides, 3/8" Plywood Bottoms	Installation Note:	For this full overlay door style, if a cabinet is being installed against a wall, a 1/2" clearance is recommended between the wall and side of the cabinet to allow the door to open properly. Scribe molding can usually be used for very narrow spaces, however, only choose that option if the design doesn't allow for a 1/2" clearance.
Drawer Glides:	Full Extension, Undermounted, Soft Close, Steel Concealed Drawer Glides		
Base Corner Supports:	Metal Bracket Reinforcements for Base Cabinets		
Overlay:	Full		
Hinges:	Soft Close, 4-6 Way Adjustable European Concealed Metal Hinges		